



Artemide®


2016

Artemide®

Artemide®



This is an interactive catalogue



You can either use your Tablet or Smartphone to enjoy the Augmented Reality experience and discover all the interactive contents of the catalogue.


1.

Download the Artemide app

Scan the QR code or visit the app store.
Search keyword: Artemide




The Marker



Scan the big “Red Eye” page to see the Augmented Reality of all the products in full size. (See Page 5).


3

Place the catalogue in the location you want to see the product around your house or office.



3.


Augmented Reality




Launch the Artemide app.



Browse the menu to see all the products, the technical features and connect to the Artemide website for more information.



Scan the Marker page to place the chosen product in your room.



Enjoy the 3D Augmented Reality. Touch the "light button" to turn the light ON and OFF.



Rotate



Move



5

SCAN THIS PAGE TO SEE ALL THE PRODUCTS IN FULL SIZE.

5 YEARS
WARRANTY

Artemide®

Artemide has always provided high quality products. As a result, we are glad to inform you that from April 1st 2015 we will offer to all our end users worldwide (private consumers only) a free 5-year extended warranty, valid only if the product is successfully registered online within two months from the date of purchase.

Conditions for the 5 years extended warranty are as follows:

7

- Being an end user (private consumer);
- Purchasing the ARTEMIDE product after April 1st 2015;
- Registering the product online within 2 months from the date of purchase;
- The product must be new (not second-hand);
- Being the first owner of the product (the warranty is not transferable).

Following successful online activation and claim, the extended warranty will entitle the private customer to a free repair or replacement when the product is determined to be faulty due to manufacturing defect, as stated on its terms and conditions.

For further information please go to:
cloud.artemide.com/5-years-warranty


Index

Table Lamps



14

Floor Lamps



80

Suspension Lamps



132

Wall/Ceiling Lamps



214

Masters' Pieces Collection



324

362



IN-EI
ISSEY MIYAKE

374



Architectural Indoor Collection

408



Architectural Outdoor Collection

9

430



DANESE
MILANO

464



Info

Products Lamping
Energy Labels
How to read the catalogue
Colours
Artemide Worldwide

Alphabetical Index

100%	462	Choose wall	262
37 cube	392	Ciclope	417
90°	116	Copernico 500	148
Aggregato decentrato	342	Copernico suspension	146
Aggregato saliscendi	342	Cosmic Angel ceiling	310
Aggregato suspension	342	Cosmic Angel suspension	198
Airlite	388	Cosmic Leaf floor	103
Alfa	326	Crazy	272
Algoritmo System	398	Cuma 10, 20, 26	232
Altrove 600 suspension	161	Cuneo	420
Altrove 600 wall/ceiling	276	Cuneo mini	420
Altrove suspension	160	Dalù	28
Altrove TW suspension	158	Demetra faretto	238
Altrove TW wall/ceiling	274	Demetra MD reading floor	114
Altrove wall/ceiling	277	Demetra MD table	38
Athena	86	Demetra MD wall	246
Boalum	338	Demetra reading floor	114
Botanic Rain	318	Demetra table	38
Cabildo floor	108	Demetra wall	246
Cabildo suspension	201	Dinarco	244
Cabildo wall	234	Dioscuri 14, 25, 35, 42 table	74
Cadmo floor	96	Dioscuri 14, 25, 35, 42 wall/ceiling	294
Cadmo wall	242	Discovery suspension	136
Calenda	210	Discovery table	16
Callimaco	344	Doride	100
Castore 14, 25, 35, 42 suspension	184	Droplet ceiling	311
Castore 14, 25, 35, 42 table	76	Droplet mini wall/ceiling	282
Castore 35, 42 floor	122	Droplet suspension	197
Castore calice 18, 42 suspension	190	Eclisse	328
Cata	390	Eclittica 20 suspension	448
Chilone	419	Eclittica 20 table	446
Chimera	336	Eclittica 20 wall/ceiling	447
Chlorophilia	138	Eclittica 50 suspension	449
Choose floor	125	Edge 21, 30 wall/ceiling	278
Choose mega floor	125	Edge 30 suspension	191
Choose mega suspension	209	Empatia 16, 26, 36 suspension	174
Choose recessed	262	Empatia 16, 26, 36 table	64
Choose suspension	209	Empatia 16, 26, 36 wall/ceiling	290
Choose table	31	Empatia 26 floor	118

Empirico floor	102	Itka 20, 35 table	439
Empirico suspension	212	Itka 20, 35, 50 suspension	438
Empirico system	212	Itka 20, 35, 50 table/floor	441
Equilibrist	36	Itka 20, 35, 50 wall/ceiling	442
Eraclea	416	Itka base	440
Eurialo	245	Jet	264
Everything 35, 55, 80, 105, 150	402	Jet base	264
Falkland floor	432	Kao	386
Falkland suspension	433	La Petite	26
Fato	334	Laguna 16, 26, 37 ceiling	302
Fiamma 15 floor	89	Laguna 16, 26, 37 floor	123
Fiamma 15, 30 ceiling	304	Laguna 16, 26, 37 suspension	178
Fiamma 30 suspension	157	Laguna 16, 26, 37 table	73
Fiamma reading floor	88	Lana	200
Fiamma suspension	156	Led Net circle ceiling	284
Fiamma table	22	Led Net circle suspension	153
Fiamma wall/ceiling	270	Led Net line 66 125 ceiling	285
Flashit	249	Led Net line 66, 125 suspension	152
Float circolare ceiling	320	Les Danseuses 65, 90	434
Float circolare suspension	170	Lesbo	332
Florensis floor	82	Logico ceiling	298
Florensis wall	235	Logico garden	414
Fukurou floor	372	Logico micro ceiling	298
Genesy	356	Logico micro suspension	186
Granito	422	Logico micro table	78
Groupage 15, 32, 45	305	Logico micro wall	296
Hakofugu suspension	368	Logico mini ceiling	298
Halo	32	Logico mini suspension	186
Ilio	92	Logico mini table	78
Incalmo, Incalmo 214 ceiling	300	Logico mini wall	296
Incalmo, Incalmo 214 suspension	180	Logico nano ceiling	298
Incipit, Incipit 214 ceiling	382	Logico nano suspension	186
Incipit, Incipit 214 suspension	383	Logico suspension	186
Invero, Invero 214 ceiling	301	Logico table	78
Invero, Invero 214 suspension	182	Logico wall	296
Iosif	308	Lotek	62
Ipparco	34	Lunaphase 450, 600 LED ceiling	279
Ippolito	415	Megaron	110
Islet	218	Melampo floor	124

Melampo mega floor	124	Nuboli	213
Melampo notte	30	Nuda	418
Melampo table	30	Null Vector table	29
Melampo wall	260	Null Vector α , β	154
Melete	219	Nur	164
Mendori	364	Nur 1618	164
Mendori mini	365	Nur ceiling	322
Mercury ceiling	314	Nur Gloss	168
Mercury mini ceiling	314	Nur Gloss ceiling	323
Mercury mini suspension	196	Nur Gloss mini	168
Mercury suspension	192	Nur Gloss mini ceiling	323
Mesmeri	220	Nur mini	164
Metacolor	355	Nur mini ceiling	322
Meteorite 13, 35 table stem	72	Objective reading floor	112
Meteorite 15, 35 wall/ceiling	292	Objective table	24
Meteorite 15, 35, 48 suspension	176	Objective wall	240
Meteorite 15, 35, 48 table	70	Oblique	410
Meteorite 35 floor	120	Olmo	456
Meteorite 48 ceiling	293	Onfale grande	79
Mezzachimera	336	Onfale medio	79
Mia	444	Onfale piccolo	79
Miconos suspension	179	Orbiter	268
Miconos wall, ceiling	288	PAD 80	394
Microsurf	216	Pantalica 2, 3 wall	351
Mimesi	104	Pantalica suspension	350
Minomushi floor	370	Parabola 55, 80, 100	406
Minomushi suspension	371	Patroclo	340
Miyako 30, 55 ceiling	453	Pausania TW	346
Miyako 30, 55 suspension	455	Pipe floor	361
Miyako 30, 55 wall	452	Pipe suspension	358
Miyako chandelier	454	Pipe wall/ceiling	360
Mogura mini	366	Pirce ceiling	306
Montjuic	352	Pirce micro suspension	142
Mouette asimmetrica	384	Pirce micro wall	228
Mouette mini	384	Pirce mini ceiling	307
Mouette simmetrica	384	Pirce mini suspension	142
Nebula wall/ceiling	280	Pirce suspension	142
Nessino	331	Pirce wall	228
Nesso	330	Piroscafo	424
New Nature	98	Prometeo	353
Nothing Downlight	400	Rea 12, 17	230
Noto	357	Reall floor	106

Reall wall	236	Tolomeo due bracci pergamena suspension	207
Reeds	428	Tolomeo faretto	250
Reeds Triplo	428	Tolomeo floor	128
Scopas	150	Tolomeo MD	54
Shogun	348	Tolomeo mega 42, 52 suspension	208
Sisifo	18	Tolomeo mega floor	130
Skopos	265	Tolomeo mega outdoor	426
Skydro	312	Tolomeo mega table	59
Solium	90	Tolomeo mega wall	258
Space Cloud	140	Tolomeo micro	57
Stabligh	436	Tolomeo micro faretto	250
Stabligh single A, B, C	436	Tolomeo micro floor	128
Tagora 80, 270, 570, 970 ceiling	376	Tolomeo micro pinza	251
Tagora 80, 270, 570, 970 recessed	378	Tolomeo micro wall	253
Tagora 80, 270, 570, 970 suspension	380	Tolomeo midi	56
Talak reading floor	109	Tolomeo mini	50
Talak table	63	Tolomeo mini MD	54
Talak wall	248	Tolomeo mini wall	252
Talo 60, 90, 120, 150 wall	226	Tolomeo pinza	251
Talo 90, 120, 150, 180, 240 susp.	202	Tolomeo reading floor	128
Talo wall	224	Tolomeo TW	52
Tatsuno-Otoshigo	373	Tolomeo wall	252
Telefo 50, 70, 120	266	Tolomeo XXL	427
Teti	267	Twist	385
Tetragono	412	Two flags floor	451
Tian Xia 500	162	Two flags wall	450
Tian Xia 500 Metamorfosi LED	163	Una Pro 75	459
Tizio	44	Una Pro 75 recessed	460
Tizio 35	44	Una Pro 75 track ceiling	461
Tizio floor support	111	Una Pro 75 track suspension	461
Tizio LED	45	Una Pro wall/ceiling	458
Tizio micro	46	Unterlinden	134
Tolomeo	50	Vigo reading floor	84
Tolomeo basculante floor	126	Vigo suspension	172
Tolomeo basculante reading floor	127	Vigo wall	289
Tolomeo basculante table	58	Wuni	369
Tolomeo basculante wall	256	Yadokari	367
Tolomeo braccio	254	Yang	354
Tolomeo decentrata suspension	204	Zeno Up Frosted 2, 3, 4	407
Tolomeo diffusore 18, 24, 32 wall	259		
Tolomeo due bracci alluminio suspension	206		



Table Lamps

Discovery table	16	Tolomeo	50
Sisifo	18	Tolomeo mini	50
Fiamma table	22	Tolomeo TW	52
Objective	24	Tolomeo MD	54
La Petite	26	Tolomeo mini MD	54
Dalù	28	Tolomeo midi	56
Null Vector	29	Tolomeo micro	57
Melampo table	30	Tolomeo basculante table	58
Melampo notte	30	Tolomeo mega table	59
Choose table	31	Lotek	62
Halo	32	Talak table	63
Ipparco	34	Empatia 16, 26, 36 table	64
Equilibrist	36	Meteorite 15, 35, 48 table	70
Demetra	38	Meteorite 15, 35 table stem	72
Demetra MD	38	Laguna 16, 26, 37 table	73
Tizio	44	Dioscuri 14, 25, 35, 42 table	74
Tizio 35	44	Castore 14, 25, 35, 42 table	76
Tizio LED	45	Logico table, mini, micro	78
Tizio micro	47	Onfale grande, medio, piccolo	79

Discovery table

Ernesto Gismondi
2015




16



LED



50 x 150 base x ø246 x 12 diffuser x 256 height



Sisifo

Scott Wilson
2013



18



LED



ø90 base x ø250 head x 419 height







Fiamma table

Wilmotte & Industries
2014

22



LED

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
S	S	Ts
		D

(Gu10) 170 x 170 base x ø63 x 226 diffuser x 544 height



Objective

Jean Nouvel
2013



24



LED

ø72 x 371 height



Elliott Erwitt, 2013

La Petite

Andrea Quaglio, Manuela Simonelli
2015

26



LED
FLUO
HALO



(E14) ø192 base x ø194 diffuser x 370 height



Dalù

Vico Magistretti
re-edition 2005



28



LED
FLUO
HALO




(E14) 184 x 260 height

Null Vector table

Carlotta de Bevilacqua, Laura Pessoni
2013



29



(E14) ø150 base x 210 x 455 height

Melampo table, Melampo notte

Adrien Gardère

2000 / 2002



Switch off

30



LED
FLUO
HALO



Melampo (E27): ø240 base x ø350 diffuser x 580 height
Melampo notte (E14): ø170 base x ø230 diffuser x 425 height

Choose table

Matteo Thun
2006



31

LED
FLUO
HALO

	
S	D

(E27) ø230 base x ø358 diffuser x max 554 height

Halo

Karim Rashid
2011



32



LED

ø160 base x 350 head x max 530 height



Ipparco

Neil Poulton
2012



34



LED 

ø210 base x ø170 head x 508 height



Elliott Erwitt, 2011

Equilibrist

Jean Nouvel

2014



36



LED 



37

ø100 round head x 100 x 100 square head x 850 x 630 height

Demetra

Demetra MD (movement detector)

Naoto Fukasawa

2012




38



LED

ø210 base x ø130 head x 570 x max 1000 height




Elliott Erwitt, 2013

40



White

Titanium



Rotation 360°



Movement detector



2,5mt



12min



Dimmer




Anthracite grey

42



Desk fixed support



43

Clamp

Tizio, Tizio 35

Richard Sapper
1972 / 2008



44



Tizio

Tizio 35

Tizio

HALO



Tizio 35



(GY6,35) ø110 base x max 1080 x max 1190 height

(GY6,35) ø100 base x max 900 x max 1000 height

Tizio LED

Richard Sapper
2008



45

Tizio LED

Tizio LED



ø110 base x max 1080 x max 1190 height

Tizio micro

Richard Sapper
1972 / 2008

46




Tizio micro

Tizio micro HALO



(G4) ø90 base x max 680 x max 760 height



Elliott Erwitt, 2011

Tolomeo table family

Michele De Lucchi, Giancarlo Fassina

1987 / 2013



Compasso d'Oro / ADI 1989

Tolomeo: ø230 base x max 1220 x max 1290 height
Tolomeo mini: ø200 base x max 1020 x max 1080 height
Tolomeo midi: ø185 base x max 960 x max 1000 height
Tolomeo micro: ø170 base x max 690 x max 730 height

48



Base
Desk fixed support
Clamp

Tolomeo midi



Tolomeo

Tolomeo micro

Tolomeo mini


Tolomeo, Tolomeo mini

Michele De Lucchi, Giancarlo Fassina

1987 / 2013



Compasso d'Oro / ADI 1989



50

LED  LED
FLUO    FLUO 

Tolomeo (E27 / G24q-2): ø230 base x max 1220
x max 1290 height
Tolomeo mini (E27 / G24q-2): ø200 base x max 1020
x max 1080 height



Elliott Erwitt, 2015

Tolomeo **TW**[®] (Tunable White)




Neutral light



52

Warm light



White selection

Dimmer

LED 

Tolomeo TW: ø230 base x max 1220 x max 1290 height



53

Cold light

Tolomeo **MD**, Tolomeo mini **MD**

(movement detector)

Michele De Lucchi, Giancarlo Fassina

2013

54

ON

LED

Tolomeo MD: ø230 base x max 1220 x max 1290 height
Tolomeo mini MD: ø200 base x max 1020 x max 1080 height



2,5mt



12min



55

OFF

Tolomeo midi

Michele De Lucchi, Giancarlo Fassina
2012

56



LED

ø185 base x max 960 x max 1000 height

Tolomeo micro

Michele De Lucchi, Giancarlo Fassina
1999 / 2009

57



LED



LED
FLUO
HALO



(E14) ø170 base
x max 690
x max 730 height

Tolomeo basculante table

Michele De Lucchi, Giancarlo Fassina
2004





58



Base
Desk fixed support
Clamp

LED
FLUO
HALO

		
S	D	D

(E27) ø230 base x max 1080 x 750 height
diffusor: ø180

Tolomeo mega table

Michele De Lucchi, Giancarlo Fassina
2004



Desk fixed support
Clamp



59

LED

LED
FLUO
HALO*



(E27) max 910 x max 2020 height
diffusor: ø320, ø360, ø420
*dimmbable version Halo only





Lotek

Javier Mariscal
2011



62



LED




180 x 230 base x 620 x 620 height

Talak table

Neil Poulton
2005 / 2007



63

LED 
S D

ø164 base x 853 x 27 x 700 height

Empatia 16, 26, 36 table

Carlotta de Bevilacqua, Paola di Arianello

2013



64



LED



Ts

S


D

Empatia 16: ø160 x 191 height
Empatia 26: ø260 x 289 height
Empatia 36: ø360 x 382 height



Elliott Erwitt, 2013

66



Touch dimmer



67

The base could have different finishes for special projects.
The feasibility must be approved by Artemide technical design department.





Meteorite 15, 35, 48 table

Pio & Tito Toso

2014 / 2015



70



HALO



Meteorite 15 (G9): ø65 base x 150 x 138 height
Meteorite 35 (E27): ø120 base x 350 x 307 height
Meteorite 48 (E27): ø140 base x 480 x 430 height



Meteorite 15, 35 table stem

Pio & Tito Toso

2015



72



HALO



Meteorite 15 (G9): ø120 base x 150 x 320 height
Meteorite 35 (E27): ø240 base x 350 x 646 height

Laguna 16, 26, 37 table

Matteo Thun, Antonio Rodriguez

2013



LED



Laguna 16: ø160 diffuser x 241 height
Laguna 26: ø260 diffuser x 383 height
Laguna 37: ø370 diffuser x 541 height

DioscURI 14, 25, 35, 42 table

Michele De Lucchi
2000 / 2003



74



HALO



S

D



Dioscuri 14 (G9): ø140 diffuser x 136 height
Dioscuri 25 (E27): ø250 diffuser x 230 height

Dioscuri 35 (E27): ø350 diffuser x 340 height
Dioscuri 42 (E27): ø420 diffuser x 420 height

Castore 14, 25, 35, 42 table

Michele De Lucchi, Huub Ubbens

2003



76



HALO



Castore 14 (G9): \varnothing 130 base x \varnothing 140 diffuser x 310 height
Castore 25 (E27): \varnothing 200 base x \varnothing 250 diffuser x 550 height



Castore 35 (E27): \varnothing 270 base x \varnothing 350 diffuser x 660 height
Castore 42 (E27): \varnothing 270 base x \varnothing 420 diffuser x 730 height

Logico, mini, micro table

Michele De Lucchi, Gerhard Reichert

2001 / 2003



78



Touch dimmer



LED
FLUO
HALO

HALO*



*Logico (E27): ø260 base x 400 x 400 x 640 height
*Logico mini (E14): ø180 base x 280 x 280 x 440 height
Logico micro (E14): ø140 base x 180 x 180 x 330 height

Onfale grande, medio, piccolo

Luciano Vistosi

1978



79

LED
FLUO
HALO



Onfale grande (E27 + E14): ø140 base x ø360 diffuser x 440 height
Onfale medio (E14 + E14): ø120 base x ø280 diffuser x 345 height
Onfale piccolo (E14): ø100 base x ø200 diffuser x 260 height



Floor Lamps

Florensis floor	82	Demetra reading floor	114
Vigo reading floor	84	Demetra reading floor MD	114
Athena	86	90°	116
Fiamma reading floor	88	Empatia 26 floor	118
Fiamma 15 floor	89	Meteorite 35 floor	120
Solium	90	Castore 35, 42 floor	122
Ilio	92	Laguna 16, 26, 37 floor	123
Cadmo	96	Melampo floor	124
New Nature	98	Melampo mega floor	124
Doride	100	Choose floor	125
Empirico floor	102	Choose mega floor	125
Cosmic Leaf floor	103	Tolomeo basculante floor	126
Mimesi	104	Tolomeo basculante reading floor	127
Reall floor	106	Tolomeo floor	128
Cabildo floor	107	Tolomeo reading floor	128
Talak reading floor	109	Tolomeo micro floor	128
Megaron	110	Tolomeo mega floor	130
Tizio floor support	111		
Objective reading floor	112		

Florensis floor

Ross Lovegrove
2013



240 x 240 base x ø190 head x 1911 height

82

LED



Vigo reading floor

David Chipperfield
2014

84



LED



(Gu10) ø270 base x ø130 diffuser x 1800 height



Athena

Naoto Fukasawa
2015

86



LED

ø320 base x ø320 diffuser x 1780 height



Fiamma reading floor

Wilmotte & Industries

2014

88



LED



S



S



D

(Gu10) 220 x 220 base x 226 x 1344 height

Fiamma 15 floor

Wilmotte & Industries
2015

89



LED



ø130 base x 160 height

Solium

Karim Rashid
2013



90



LED 

ø300 base x 396 x 1911 height




Ilio

Ernesto Gismondi
2013





94



LED



300 x 300 base x ø90 x 1750 height



Elliott Erwitt, 2013

Cadmo

Karim Rashid
2006



96



LED

HALO + LED
HALO





(R7s + E27) ø320 base x 1740 height

New Nature

Ross Lovegrove
2012



98

Indirect emission



Indirect + diffused emission



LED



ø280 base x ø200 x 1880 height



Doride

Karim Rashid
2009



100



FLUO



(GX24q-5) ø360 base x max 1100 x min 1610 max 2210 height



Elliott Erwitt, 2011

Empirico floor

Karim Rashid
2011

102



FLUO




(G5) ø300 base x 406 diffuser x 1886 height


Cosmic Leaf floor

Ross Lovegrove

2009



103



LED

LED
HALO



S

D

(G53) ø222 base x 380 diffuser x 1920 height

Mimesi

Carlotta de Bevilacqua

2011



104




LED




T

S

D





105

300 x 300 base x 102 x 102 x 1930 height

Reall floor

Carlotta de Bevilacqua, Paolo dell'Elce
2011



106


LED



365 x 283 diffuser x 1900 height



107



Cabildo floor

Eric Solé

2007 / 2015




108

LED | HALO | 

(R7s) ø300 base x 410 x 190 head x 1830 height

Talak reading floor

Neil Poulton
2007



109

LED



S

D

ø230 base x 850 x 30 diffuser x 1390 height

Megaron

Gianfranco Frattini
1979 / 2013

110



LED

HALO



(R7s) ø350 base x 150 x 1820 height

Tizio floor support

Richard Sapper

1980



111

Tizio, Tizio LED: ø 110 x 700 height
Tizio 35: ø 100 x 700 height

Objective reading floor

Jean Nouvel
2013



112

LED

ø164 base x ø65 head x 1072 height



113

Demetra reading floor

Demetra reading floor **MD** (movement detector)

Naoto Fukasawa
2013



Movement detector



2,5mt




12min



114



ø210 base x max 1000 x max 1530 height



115

90°

Ernesto Gismondi
2013

116



LED



S

D

300 x 430 base x 2038 x 1907 height



117



Empatia 26 floor

Carlotta de Bevilacqua, Paola di Arianello
2013

118



LED  
S D

260 x 260 base x ø260 diffuser x 1500 height



119

The stem and the base could have different finishes for special projects.
The feasibility must be approved by Artemide technical design department.

Meteorite 35 floor

Pio & Tito Toso
2015




120

HALO



(E27) ø350 base x ø350 head x 1773 height



121

Off

Castore 35, 42 floor

Michele De Lucchi, Huub Ubbens
2003



122

HALO




Castore 35 (E27): \varnothing 340 base x \varnothing 350 x 1820 height
Castore 42 (E27): \varnothing 340 base x \varnothing 420 x 1890 height

Laguna 16, 26, 37 floor

Matteo Thun, Antonio Rodriguez

2013



123

LED



Ts

S

D

Laguna 16: \varnothing 402 base x \varnothing 160 diffuser x 1400/1800 height
Laguna 26: \varnothing 402 base x \varnothing 260 diffuser x 1800 height
Laguna 37: \varnothing 402 base x \varnothing 370 diffuser x 1900 height

Melampo floor, mega floor

Adrien Gardère

2000 / 2002



124

Off



LED
FLUO
HALO*



Melampo (E27): ø240 base x ø350 diffuser x max 1630 height
*Melampo mega (E27): ø350 base x ø570 diffuser x 2174 height

Choose floor, mega floor

Matteo Thun

2006



125

LED
FLUO
HALO

FLUO*



S

D

*Choose (E27 / 2GX24q-1): ø230 base x ø 358 diffuser x 1400 height
Choose mega (E27 + E27): ø370 base x ø 550 diffuser x 1780 height

Tolomeo basculante floor


Michele De Lucchi, Giancarlo Fassina

2006



126

LED
FLUO
HALO



(E27) ø330 base x max 870
x max 1700 height
diffuser: ø180

Tolomeo basculante reading floor




Michele De Lucchi, Giancarlo Fassina

2006



127

LED
FLUO
HALO


		
S	D	D

(E27) ø230 base x max 870
x max 1080 height
diffuser: ø180

Tolomeo floor, reading floor, micro floor

Michele De Lucchi, Giancarlo Fassina

1987 / 2010



128

Tolomeo	LED	<input type="checkbox"/>	HALO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	FLUO	<input type="checkbox"/>
Tolomeo reading	LED	<input type="checkbox"/>	HALO	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
Tolomeo micro	LED	<input type="checkbox"/>	LED	<input type="checkbox"/>					
			FLUO						
			HALO						



129



Tolomeo (E27 / G24q-2): ø330 base x max 1340
x max 2260 height

Tolomeo reading (E27): ø230 base x max 1000
x max 1670 height

Tolomeo micro (E14): ø230 base x max 690
x max 1720 height

Tolomeo mega floor

Michele De Lucchi, Giancarlo Fassina
2006 / 2013



130

LED

LED
FLUO
HALO*



(E27) ø330 base x max 1960 x max 3340 height
diffusers: ø180 / ø360 / ø420
*dimmable version Halo only







Suspension Lamps

Unterlinden	134	Miconos suspension	179
Discovery suspension	136	Incalmo, Incalmo 214 suspension	180
Chlorophilia	138	Invero, Invero 214 suspension	182
Space Cloud	140	Castore 14, 25, 35, 42 suspension	184
Pirce suspension, Pirce mini, Pirce micro	142	Logico, mini, micro, nano suspension	186
Copernico suspension	146	Castore calice 18, 42 suspension	190
Copernico 500	148	Edge 30 suspension	191
Scopas	150	Mercury suspension	192
Led Net line 66, 125 suspension	152	Mercury mini suspension	196
Led Net circle suspension	153	Droplet suspension	197
Null Vector α , β	154	Cosmic Angel suspension	198
Fiamma suspension	156	Lana	200
Fiamma 30 suspension	157	Cabildo suspension	201
Altrove.TW suspension	158	Talo 90, 120, 150, 180, 240 suspension	202
Altrove suspension	160	Tolomeo decentrata suspension	204
Altrove 600 suspension	161	Tolomeo 2 bracci alluminio suspension	206
Tian Xia 500	162	Tolomeo 2 bracci pergamena suspension	207
Tian Xia 500 Metamorfosi LED	163	Tolomeo mega suspension	208
Nur, Nur mini, Nur 1618	164	Choose suspension, mega suspension	209
Nur gloss, nur gloss mini	168	Calenda	210
Float circolare suspension	170	Empirico suspension	212
Vigo suspension	172	Empirico system	212
Empatia 16, 26, 36 suspension	174	Nuboli	213
Meteorite 15, 35, 48 suspension	176		
Laguna 16, 26, 37 suspension	178		

Unterlinden

Herzog & De Meuron
2014

134



LED




Ø117 x 140 x max 1600 height



Discovery suspension

Ernesto Gismondi
2015

136




ø700 x 17 diffuser. Cable max 2000 height



Chlorophilia

Ross Lovegrove
2015


138



LED



ø775 x min 500 max 2000 height



Space Cloud

Ross Lovegrove
2013


140



LED



780 x 877 x 800 height



Pirce, Pirce mini, Pirce micro suspension

Giuseppe Maurizio Scutella
2008 / 2013



142



Pirce suspension

	LED		HALO	
Pirce	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pirce mini	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pirce micro	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



143

Pirce micro suspension

Pirce mini suspension

Pirce (R7s): 940 x 970 x 280 height. Cable max 2000 height

Pirce mini (R7s): 670 x 690 x 230 height. Cable max 2000 height

Pirce micro: 465 x 480 x 130 height. Cable max 2000 height

144



Pirce suspension




Copernico suspension

Carlotta de Bevilacqua, Paolo dell'Elce

2010



146



LED



Flat: 1040 x 410 x 10. Cable max 2000 height



Elliott Erwitt, 2011

Copernico 500

Carlotta de Bevilacqua, Paolo dell'Elce
2012

148



Flat: ø490 x 10. Cable max 2200 height



Scopas

Neil Poulton
2013

150



LED



ø500. Cable max 2000 height




Led Net line 66, 125 suspension

Michele De Lucchi, Alberto Nason

2010 / 2011

152



Led Net line 66: 660 x 285 x 25 height. Cable max 2000 height
Led Net line 125: 1250 x 285 x 25 height. Cable max 2000 height

Led Net circle suspension

Michele De Lucchi, Alberto Nason

2010 / 2011



153



LED 

ø460 x 25 height. Cable max 2000 height

Null Vector α , β

Carlotta de Bevilacqua, Laura Pessoni
2013

154



LED



Null Vector α (E14): 137 x 300. Cable max 1145 height
Null Vector β (E14): 137 x 150 height. Cable max 2000 height



Fiamma suspension

Wilmotte & Industries
2014

156



LED



(GU10) ø63 x 125. Cable max 1500 height

Fiamma 30 suspension

Wilmotte & Industries

2015



157

LED



ø130 x 300. Cable max 2000 height

Altrove **TW** suspension

Carlotta de Bevilacqua

2008 / 2015



158



Radiofrequency remote control included



LED



FLUO



T

S

D


(G5) 1000 x 1000 x 100 height
Cable max 2000 height




Altrove suspension

Carlotta de Bevilacqua

2008 / 2015



160



LED


FLUO




T

S

D

(G5) 1000 x 1000 x 100 height. Cable max 2000 height

Altrove 600 suspension

Carlotta de Bevilacqua
2010 / 2015



161

LED

FLUO



T

S

D

(G5) 600 x 600 x 80 height. Cable max 2000 height

Tian Xia 500

Carlotta de Bevilacqua
2003 / 2015



Fondazione TOC - Together to go, Milan, Italy



162



Infrared remote control
included

FLUO + LED

LED + LED



(GX24q-4 + GX24q-4) ø500 x 290 height.
Cable max 2000 height

Tian Xia 500 Metamorfosi LED

Carlotta de Bevilacqua
2015



163

LED + LED




Tian Xia 500 Metamorfosi LED:
Infrared remote control included



ø500 x 290 height.
Cable max 2000 height

Nur, Nur mini, Nur 1618

Ernesto Gismondi

2003 / 2013



164



anti-dazzle screen
(only for HALO)



coloured filter
(only for HALO)

Nur	LED	 	LED FLUO HALO	 	(E27) ø550 x 430 height. Cable max 2200 height
Nur mini	LED	 	HALO	 	(R7s) ø360 x 285 height. Cable max 2000 height
Nur 1618	LED	 	HALO	 	(R7s) ø900 x 700 height. Cable max 2600 height



Oliviero Toscani, 2006





Nur gloss, Nur mini gloss

Ernesto Gismondi

2008 / 2013

168



LED

LED
FLUO
HALO



S



S




D

Nur gloss (E27): ø550 x 430. Cable max 2200 height
Nur gloss mini (E27): ø360 x 285. Cable max 2000 height



Float circolare suspension

James Irvine
2000



topaz filter
blue filter



FLUO



(2GX13) ø555 x 65 height. Cable max 1600 height



Vigo suspension

David Chipperfield

2014

172



LED



(Gu10) ø130 x 220 height. Cable max 2000 height



Empatia 16, 26, 36 suspension

Carlotta de Bevilacqua, Paola di Arianello
2013

174



LED



Empatia 16: ø160 x 190 height. Cable max 2000 height
Empatia 26: ø260 x 290 height. Cable max 2100 height
Empatia 36: ø360 x 380 height. Cable max 2200 height

The body lamp could have different finishes for special projects.
The feasibility must be approved by Artemide technical design department.

Meteorite 15, 35, 48 suspension

Pio & Tito Toso
2014 / 2015



176



LED
FLUO
HALO

HALO*





177

*Meteorite 15: 150 x 138 height. Cable max 1800 height
Meteorite 35: 350 x 307 height. Cable max 1250 height
Meteorite 48: 480 x 430 height. Cable max 1900 height

Laguna 16, 26, 37 suspension

Matteo Thun, Antonio Rodriguez

2013

178



LED



Laguna 16: ø160 x 705 height. Cable max 2000 height
Laguna 26: ø260 x 565 height. Cable max 2000 height
Laguna 37: ø370 x 570 height. Cable max 2000 height

Miconos suspension

Ernesto Gismondi
1998



179

LED
FLUO
HALO



S

D

(E27 globe) ø300. Cable max 1550 height

Incalmo, Incalmo 214 suspension

Carlotta de Bevilacqua

2014

180



LED



Incalmo: ø392 x 532 height. Cable max 2000 height
Incalmo 214: ø240 x 320 height. Cable max 2000 height




Invero, Invero 214 suspension

Carlotta de Bevilacqua
2014


182



LED



Invero: ø361 x 359 height. Cable max 2000 height
Invero 214: ø230 x 250 height. Cable max 2000 height




Castore 14, 25, 35, 42 suspension

Michele De Lucchi, Huub Ubbens

2003

184



LED
FLUO
HALO

HALO*



*Castore 14 (G9): ø140 x 800 height. Cable max 2000 height
Castore 25 (E27): ø250 x 730 height. Cable max 2220 height
Castore 35 (E27): ø350 x 620 height. Cable max 2330 height
Castore 42 (E27): ø420 x 300 height. Cable max 2490 height



Logico, mini, micro, nano suspension

Michele De Lucchi, Gerhard Reichert

2001 / 2006

186





188



Logico (E27): 400 x 400 x 310 height. Cable max 2000 height
Logico 3 in linea (E27): 1000 x 400 x 310 height. Cable max 2000 height
Logico 3x120° (E27): 660 x 660 x 310 height. Cable max 2000 height

Logico mini (E27): 240 x 240 x 220 height. Cable max 2000 height
Logico mini 3 in linea (E27): 660 x 280 x 220 height. Cable max 2000 height
Logico mini 3x120° (E27): 450 x 450 x 220 height. Cable max 2000 height

LED
FLUO
HALO

Ts



189



Logico micro (E14): 180 x 180 x 170 height. Cable max 2000 height
Logico micro 3 in linea (E14): 490 x 180 x 170 height. Cable max 2000 height
Logico micro 3x120° (E14): 330 x 340 x 170 height. Cable max 2000 height

Logico nano (E14): 110 x 110 x 130 height. Cable max 1700 height

Castore calice 18, 42 suspension

Michele De Lucchi, Huub Ubbens

2004

190



LED
FLUO
HALO

HALO*



*Castore calice 18 (G9): ø180 x 290 height. Cable max 2000 height
Castore calice 42 (E27): ø420 x 730 height. Cable max 2000 height

Edge 30 suspension

Alessandro Mendini
2004



191

LED
FLUO



(E27) 300 side x 485 x 300 height. Cable max 1605 height

Mercury suspension

Ross Lovegrove
2007 / 2012



192

LED

HALO



S

D

(R7s) ø1100 x 600 height. Cable max 2000 height





J&T BANKA
J&T FINANCE GROUP
CORPORAT
FINANCE SLOVAKIA



Only for special projects which feasibility must be approved by Artemide technical design department it's possible to create different combinations by joining the elements Mercury sospensione

Mercury mini suspension

Ross Lovegrove
2012

196



LED

HALO



S

D

(R7s) ø700 x 562 height. Cable max 2000 height

Droplet suspension

Ross Lovegrove
2007 / 2011



197

LED

HALO



S

D

(R7s) ø1100 x 340 height. Cable max 2000 height

Cosmic Angel suspension

Ross Lovegrove


2009



198

HALO





199

(R7s) 1780 x 800 x 410 height. Cable max 2000 height

Lana

Carlotta de Bevilacqua
2015

200



LED




ø125 x 160. Cable max 2000 height

Cabildo suspension

Eric Solé

2007 / 2015



201

LED | HALO | 

(R7s) 410 x 95 x 190. Cable max 1500 height

Talo 90, 120, 150, 180, 240 suspension

Neil Poulton

2001 / 2014



202

LED | FLUO

Talo 90, 120, 150 (G5): 905 / 1205 / 1505 x 70 height.
Cable max 1600 height
Talo 180, 240 (Fluo only - G5): 1795 / 2395 x 70 height.
Cable max 1600 height



Tolomeo decentrata suspension

Michele De Lucchi, Giancarlo Fassina

1996

204



LED
FLUO
HALO



S

D

D

D

(E27) max 1640 x max 1860 height
diffusers: ø200, ø240, ø320, ø360



205

Tolomeo due bracci alluminio suspension

Michele De Lucchi, Giancarlo Fassina

1996

206



LED
FLUO
HALO



(E27) 1500 max x 1200 max height

Tolomeo due bracci pergamena suspension

Michele De Lucchi, Giancarlo Fassina

1996



207

LED
FLUO
HALO



(E27) 1480 max x 1480 max height
diffusers: ø240, ø320, ø360, ø420

Tolomeo mega suspension

Michele De Lucchi, Giancarlo Fassina

2007

Private house, Saint Tropez, France

208

LED
FLUO
HALO



S

D

D

S

D

(E27) 290/360 height. Cable max 2000 height
diffusers: ø420 / ø520

Choose suspension, mega suspension

Matteo Thun
2008



209

LED
FLUO
HALO



Choose (E27): ø358 x 225 height. Cable max 2000 height
Choose mega (E27): ø550 x 370 height. Cable max 2000 height

Calenda

Italo Rota, Alessandro Pedretti
2011

Museo del 900, Milan - Italy, Project Gruppo Rota

210

FLUO + LED



(2G11) ø930 x 1600 height. Cable max 4000 height



Elliott Erwitt, 2011

Empirico suspension, Empirico system

Karim Rashid
2011

DB Hotel, Verona, Italy



212



FLUO



(G5) Module 1535 x 370 height. Cable max 2000 height

Nuboli

Guido Matta, Enrico Girotti
2011

Centro Servizi dello studentato universitario, Trento, Italy

213




FLUO



(2G11) ø1530 x 540 height. Cable max 4000 height

Wall & Ceiling Lamps



214

Microsurf	216	Demetra MD wall	246
Islet	218	Talak wall	248
Melete	219	Flashit	249
Mesmeri	220	Tolomeo faretto, micro faretto	250
Talo wall	224	Tolomeo pinza, micro pinza	251
Talo parete 90, 120, 150	226	Tolomeo wall, mini wall	252
Pirce, micro wall	228	Tolomeo micro wall	253
Rea 12, 17	230	Tolomeo braccio	254
Cuma 10, 20, 26	232	Tolomeo basculante wall	256
Cabildo wall	234	Tolomeo mega wall	258
Florensis wall	235	Tolomeo diffusore 18, 24, 32 wall	259
Reall wall	236	Melampo wall	260
Demetra faretto	238	Choose wall, recessed	262
Objective wall	240	Jet, Jet base	264
Cadmo wall	242	Skopos	265
Dinarco	244	Telefo 50, 70, 120	266
Eurialo	245	Teti	267
Demetra wall	246	Orbiter	268





Fiamma wall/ceiling	270	Logico, mini, micro, nano ceiling	298
Crazy	272	Incalmo, Incalmo 214 ceiling	300
Altrove TW wall/ceiling	274	Invero, Invero 214 ceiling	301
Altrove 600 wall/ceiling	276	Laguna 16, 26, 37 ceiling	302
Altrove wall/ceiling	277	Fiamma 15, 30 ceiling	304
Edge 21, 30 wall/ceiling	278	Groupage 20, 32, 45	305
Lunarphase 450, 600 LED ceiling	279	Pirce ceiling	306
Nebula wall/ceiling	280	Pirce mini ceiling	307
Droplet mini wall/ceiling	282	Iosif	308
Led Net circle ceiling	284	Cosmic Angel ceiling	310
Led Net line 66, 125 ceiling	285	Droplet ceiling	311
Miconos wall, ceiling	288	Skydro	312
Vigo wall	289	Mercury ceiling, mini ceiling	314
Empatia 16, 26, 36 wall/ceiling	290	Botanic rain	318
Meteorite 15, 35 wall/ceiling	292	Float circolare ceiling	320
Meteorite 48 ceiling	293	Nur ceiling, mini ceiling	322
Dioscuri 14, 25, 35, 42 wall/ceiling	294	Nur gloos ceiling, mini gloss ceiling	323
Logico, mini, micro wall	296		

Microsurf

Neil Poulton
2013

216



LED



200 x 40 x 150 depth



217



Islet

Mikko Laakkonen
2015

218




LED



ø450 x 110 height

Melete

Pio & Tito Toso
2011 / 2015



219

LED | HALO | 

(R7s) 228 x 55 x 138 depth

Mesmeri

Eric Solé
2005 / 2012



220



(R7s) 340 x 79 x 221 depth







Talo wall

Neil Poulton
2002 / 2012



224





225



Talo LED: 210 x 42 x 100 depth
Talo Halo (R7s): 210 x 34 x 100 depth
Talo Fluo (G24q-2): 210 x 43 x 100 depth

Talo 60, 90, 120, 150 wall

Neil Poulton

2001 / 2013




226

LED | FLUO



Talo wall 90, 120, 150 (G5): 905 / 1205 / 1505 x 40 x 100 depth
Talo wall 60 (LED only): 605 x 40 x 100 depth



Pirce, Pirce micro wall

Giuseppe Maurizio Scutella
2010 / 2013

228



Pirce

LED

HALO

Pirce micro



(R7s) 370 x 250 x 220 depth

220 x 148 x 160 depth



229

Schloessl, Oberrotterbach, Germany

Rea 12, 17

Neil Poulton
2013 / 2014



230



Rea 12: 120 x 119 x 147 depth
Rea 17: 170 x 168 x 204 depth



231



Cuma 10, 20, 26

Roberto Paoli
2011 / 2012



232



LED 

Cuma 10: 100 x 148 x 130 depth
Cuma 20: 200 x 148 x 140 depth



233

HALO



Cuma 26 (R7s): 260 x 148 x 160 depth

Cabildo wall

design Eric Solé

2007 / 2015

234




LED | HALO | 

(R7s) 410 x 190 x 230 depth

Florensis wall

Ross Lovegrove
2013



235

LED

ø188 x 129 x 216 depth

Reall wall

Carlotta de Bevilacqua, Paolo dell'Elce
2011

236



LED



150 x 190 x 300 depth



237



Demetra faretto

Naoto Fukasawa

2013

238



LED



ø130 diffuser x ø130 wall support x 185 depth



239



Objective wall

Jean Nouvel

2013

240



LED

ø65 x 156 depth



241



Cadmo wall

Karim Rashid
2009

242



LED

FLUO



(GU10 / Gx24q-3) 130 x 540 x 130 depth



Dinarco

Carlo Forcolini, Giancarlo Fassina
2011

244




HALO



(R7s) 400 x 322 x 76 depth

Eurialo

Pio & Tito Toso
2008



245



HALO

FLUO



(R7s / GX24q-3/4) 360 x 158 x 120 depth

Demetra wall

Demetra wall **MD** (movement detector)

Naoto Fukasawa
2013

246

Movement detector



2,5mt



12min

LED



ø130 head x 637 x 635 depth





247



Talak wall

Neil Poulton
2007

248

LED 
S D

27 x 619 x 853 depth



Flashit

Massimo Tassone
2014

249



LED

ø15 x 1500 length

Tolomeo faretto, micro faretto

Michele De Lucchi, Giancarlo Fassina

1995 / 2010



250



LED

LED
FLUO
HALO



Tolomeo (E27): 230 x 250 depth
Tolomeo micro (E14): 200 x 200 depth

Tolomeo pinza, micro pinza

Michele De Lucchi, Giancarlo Fassina
1995 / 2010



251

Tolomeo

LED



Tolomeo micro

LED
FLUO
HALO



(E27) 180 x 230

(E14) 160 x 200

Tolomeo wall, mini wall

Michele De Lucchi, Giancarlo Fassina

1987 / 2010

252



LED



LED
FLUO
HALO



FLUO



Tolomeo (E27 / G24q-2): max 1310
x max 1260 depth
Tolomeo mini (E27 / G24q-2): max 1110
x max 1060 depth

Tolomeo micro wall

Michele De Lucchi, Giancarlo Fassina
1991 / 2010



253



(E14) max 740 x max 730 depth

Tolomeo braccio

Michele De Lucchi, Giancarlo Fassina
1996 / 2009

254



LED

LED
FLUO
HALO



(E27) max 1670 x max 1670 depth



Tolomeo basculante wall

Michele De Lucchi, Giancarlo Fassina
2004



256

LED
FLUO
HALO



(E27) max 750 x max 1117 depth
diffuser: ø180



Tolomeo mega wall

Michele De Lucchi, Giancarlo Fassina

2003

258



LED

LED
FLUO
HALO*



(E27) max 2060 x max 1020 depth
diffusers: ø320, ø360, ø420
*dimmmable version Halo only

Tolomeo diffusore 18, 24, 32 wall

Michele De Lucchi, Giancarlo Fassina

2003



259



LED
FLUO
HALO



Tolomeo 18 (E27): ø180 x 326 x 278 depth
Tolomeo 24 (E27): ø240 x 352 x 368 depth
Tolomeo 32 (E27): ø320 x 406 x 488 depth

Melampo wall

Adrien Gardère
2003

260



LED
FLUO
HALO



(E14) ø230 diffuser x 350 x 300 depth




Choose wall, recessed

Matteo Thun

2006 / 2008

262



LED



LED
FLUO
HALO

LED + LED
FLUO
HALO



Choose wall (LED): 66 x 152 x 54 depth
Choose wall (E27): 237 x 146 x 184 depth
Choose wall (E27+LED): 237 x 315 x 184 depth




Jet, Jet base

Artemide

2007

264



LED IP40

Jet: 84 x 116 base x ø30
Jet base: 50 x 152 x 41 base x ø30

Skopos

Ernesto Gismondi
2013



265

LED IP40

75 x 75 base x 60 x 35 head x max 360 depth

Telefo 50, 70, 120

Örni Halloween
1994 / 2003



266

FLUO



S



D

IP44 (Telefo 50)

Telefo 50 (G23): 500 x 80 x 100 depth
Telefo 70, 120 (G13): 700/1300 x 80 x 100 depth

Teti

Vico Magistretti
1970



267

LED
FLUO
HALO




(E27) \varnothing 140 x 70 depth

Orbiter

Neil Poulton
2015

268



LED



ø151,5 diffuser x ø90 x 50 wall support x 190 depth



269



Fiamma wall/ceiling

Wilmotte & Industries

2014

270



LED





271

(Gu10) ø63 x 127 diffuser x 125 x 125 wall/ceiling support x 226 depth

Crazy

Ernesto Gismondi, Daniele Moioli
2015


272



LED



690 x 95 depth




Altrove **TW** wall/ceiling

Carlotta de Bevilacqua

2008 / 2015



274



LED


FLUO




Radiofrequency remote control included (G5) 1000 x 1000 x 100 depth



Stade Roland Garros, Paris, France



Milan, Italy

Franco Parenti Theatre

Altrove 600 wall/ceiling

Carlotta de Bevilacqua
2010 / 2015



276

LED


FLUO




S



D

(G5) 600 x 600 x 80 depth

Altrove wall/ceiling

Carlotta de Bevilacqua
2010 / 2015



277

LED

FLUO



S

T

(G5) 1000 x 1000 x 100 depth

Edge 21, 30 wall/ceiling

Alessandro Mendini
2012



278



LED
FLUO



IP65

Edge 21 (E27): 210 side x 350 x 320 depth/height
Edge 30 (E27): 300 side x 485 x 430 depth/height

Lunarphase 450, 600 LED ceiling

Carlotta de Bevilacqua

2015



279



LED



Lunarphase 450: ø450 x 110 height
Lunarphase 600: ø600 x 110 height

Nebula wall/ceiling

Ross Lovegrove
2012

280



LED




ø800 x 140 depth/height



Droplet mini wall/ceiling

Ross Lovegrove
2009 / 2011

282



LED

HALO



(R7s) ø600 x 340 depth/height



Led Net circle ceiling

Michele De Lucchi, Alberto Nason

2011



284



LED



650 x 650 x 70 height

Led Net line 66, 125 ceiling

Michele De Lucchi, Alberto Nason

2011



285

LED 

Led Net line 66: 660 x 285 x 70 height
Led Net line 125: 1250 x 285 x 70 height





Miconos wall, ceiling

Ernesto Gismondi

1999

288



Miconos wall (E27 globe): ø250 x 435 x 325 depth
Miconos ceiling (E27 globe): ø300 x 480 height

LED
FLUO
HALO



Vigo wall

David Chipperfield
2014



289



LED



S


D

(Gu10) ø130 x 220 x 420 max height x 210 depth

Empatia 16, 26, 36 wall/ceiling

Carlotta de Bevilacqua, Paola di Arianello
2013

290



LED



Ts

S

D



291

Empatia 16: ø160 x 190 depth/height
Empatia 26: ø260 x 290 depth/height
Empatia 36: ø360 x 380 depth/height

Meteorite 15, 35 wall/ceiling

Pio & Tito Toso

2014

292



LED
FLUO
HALO

HALO*



*Meteorite 15 (G9): ø150 x 138 depth/height
Meteorite 35 (E27): ø350 x 307 depth/height

Meteorite 48 ceiling

Pio & Tito Toso
2014



293

LED
FLUO
HALO



Meteorite 48 (E27): ø480 x 430 height

Dioscuri 14, 25, 35, 42 wall/ceiling

Michele De Lucchi

2000 / 2003

294



LED
FLUO
HALO

HALO*



IP65

*Dioscuri 14: ø140 x 130 depth
Dioscuri 25: ø250 x 230 depth



295



Dioscuri 35: ø350 x 340 depth
Dioscuri 42: ø420 x 420 depth

Logico wall, mini, micro

Michele De Lucchi, Gerhard Reichert

2001 / 2002

296



LED
FLUO
HALO



Logico (E27): 330 x 320 x 185 depth
Logico mini (E27): 253 x 220 x 103 depth
Logico micro (E14): 189 x 189 x 103 depth



Logico mini, micro, nano ceiling

Michele De Lucchi, Gerhard Reichert
2001 / 2006



298



LED
FLUO
HALO



Logico (E27): 400 x 400 x 325 height
Logico 3 in linea (E27): 1000 x 400 x 350 height
Logico 3x120° (E27): 660 x 660 x 350 height
Logico mini (E27): 280 x 280 x 230 height
Logico mini 3 in linea (E27): 660 x 280 x 230 height
Logico mini 3x120° (E27): 450 x 450 x 230 height

Only for special projects which feasibility must be approved by Artemide technical design department it's possible to create different combinations by joining the elements Logico ceiling.

Schloessl, Oberrotterbach, Germany

299

Logico micro (E14): 180 x 180 x 190 height
Logico micro 3 in linea (E14): 490 x 180 x 210 height
Logico micro 3x120° (E14): 330 x 330 x 210 height
Logico nano (E14): 110 x 110 x 130 height

Incalmo, Incalmo 214 ceiling

Carlotta de Bevilacqua
2014



300



LED



Incalmo: ø392 x 603 height
Incalmo 214: ø240 x 387 height

Invero, Invero 214 ceiling

Carlotta de Bevilacqua

2014



301

LED



Invero: ø361 x 430 height
Invero 214: ø230 x 317 height

Laguna 16, 26, 37 ceiling

Matteo Thun, Antonio Rodriguez

2013



302

LED





303

Laguna 16: ø160 x 340 height
Laguna 26: ø260 x 470 height
Laguna 37: ø370 x 490 height

Fiamma 15, 30 ceiling

Wilmotte & Industries

2015



304

LED



Fiamma 15: ø130 x 160 height
Fiamma 30: ø130 x 310 height

Groupage 20, 32, 45

Ernesto Gismondi, Daniele Moioli
2014



305



LED



Groupage 20: 200 x 200 x 340 height
Groupage 32: 320 x 320 x 200 height
Groupage 45: 450 x 450 x 200 height

Pirce ceiling

Giuseppe Maurizio Scutellà
2012



306

LED    HALO 

(R7s) 940 x 970 x 440 height

Pirce mini ceiling

Giuseppe Maurizio Scutella
2013



307

LED HALO

(R7s) 670 x 690 x 360 height

Iosif

MiloDaMalo
2014

308



LED



ø30 x 1500 height x 80 recessed




losif could have different colour finishes and different lengths for special projects.
The feasibility must be approved by Artemide technical design department.

Cosmic Angel ceiling

Ross Lovegrove

2009




310

HALO + FLUO 

(R7s + 2G11) 1780 x 800 x 250 height

Droplet ceiling

Ross Lovegrove
2007 / 2011



311

LED

HALO



S

D

(R7s) ø1100 x 340 height

Skydro

Ross Lovegrove
2008 / 2012

312



Module
with lighting unit

Module
without lighting unit

LED

HALO



Module with lighting unit (R7s): 1425 x 1360 x 420 height
Module without lighting unit: 1420 x 1360 x 136 height



Mercury ceiling, mini ceiling

Ross Lovegrove
2007 / 2011



314

LED

HALO



S

D

Mercury (R7s): ø1100 x 600 height
Mercury mini (R7s): ø700 x 562 height







317

Only for special projects which feasibility must be approved by Artemide technical design department it's possible to create different combinations by joining the elements Mercury soffitto.

Botanic rain

Ross Lovegrove
2012

Marinmaud, Paris, France

318



LED

T

Only for special projects which feasibility
must be approved by Artemide technical design department.



Float circolare ceiling

James Irvine
2000



320



topaz filter



blue filter

FLUO



(2GX13) ø565 x 110 height



Nur ceiling, mini ceiling

Ernesto Gismondi

2007 / 2013

322



LED

LED
FLUO
HALO



S



S



D

Nur (E27): ø550 x 430 height
Nur mini (E27): ø360 x 280 height

Nur gloss ceiling, mini gloss ceiling

Ernesto Gismondi

2009 / 2013



323

LED

LED
FLUO
HALO




S

S

D

Nur gloss (E27): ø550 x 430 height
Nur gloss mini (E27): ø360 x 280 height

324



Masters' Pieces Collection



325

Alfa	326	Pausania TW	346
Eclisse	328	Shogun	348
Nesso	330	Pantalica	350
Nessino	331	suspension	
Lesbo	332	Pantalica wall	351
Fato	334	Montjuic	352
Chimera	336	Prometeo	353
Mezzachimera	336	Yang	354
Boalum	338	Metacolor	355
Patroclo	340	Genesy	356
Aggregato	342	Noto	357
suspension, decentrato, saliscendi		Pipe suspension	358
Callimaco	344	Pipe wall/ceiling	360
		Pipe floor	361

Alfa

Sergio Mazza
1959

326



(E14) ø140 base x ø300 diffuser x 480 height

LED
FLUO
HALO



Aldo Ballo, 1967



327

Eclisse

Vico Magistretti
1967



328

LED
FLUO
HALO





329

(E14) ø120 x 180 height

Nesso

Giancarlo Mattioli, Gruppo Architetti Urbanisti Città Nuova
1967

330



LED
FLUO
HALO



(E14) ø210 base x ø540 diffuser x 340 height

Nessino

Giancarlo Mattioli, Gruppo Architetti Urbanisti Città Nuova
re-edition 2003



331



LED
FLUO
HALO



(E14) ø125 base x ø320 diffuser x max 223 height

Lesbo

Angelo Mangiarotti
1967

332



HALO



S

D

(E27) ø160 base x 520 diffuser x 370 height



Fato

Gio Ponti
1969



334



LED
FLUO
HALO




(E14) 350 x 100 x 350 height



Chimera, Mezzachimera

Vico Magistretti
1969 / 1970



LED
FLUO
HALO



Mezzachimera (E27): 220 x 770 height

Aldo Ballo, 1969



337

FLUO



Chimera (G5): ø220 x 1800 height

Boalum

Livio Castiglioni, Gianfranco Frattini
1970

338

HALO



ø60 x max 2000 length



Patroclo

Gae Aulenti
1975


340



HALO



(E27) ø280 base x 500 diffuser x 450 height



341

Aggregato suspension, decentrato, saliscendi

Enzo Mari
1976 / 1995



342

LED
FLUO
HALO



(E27) ø250, ø400 sphere diffuser
ø380 x 140, ø530 x 170 cone diffuser
Cable max 2000 height




Callimaco

Ettore Sottsass
1982 / 2014



344



LED HALO



(R7s) ø390 base x 2000 height



345


Aldo Ballo, 1988

Pausania **TW**[®] (Tunable White)

Ettore Sottsass

1983 / 2015

346



LED 

480 x 110 x 430 height

Aldo Ballo, 1983

347



Shogun

Mario Botta
1986

348



(E27) ø120 base x ø320 diffuser x 595 height

LED
FLUO
HALO





Pantalica suspension

Örni Halloween
1995 / 1996



350



LED
FLUO
HALO



(E14) ø980 x 520. Cable max 1400 height


Pantalica wall

Örni Halloween

1995 / 1996



351



LED
FLUO
HALO



Pantalica 2 braccia (E14): 720 x 230 x 360 depth
Pantalica 3 braccia (E14): 850 x 230 x 480 depth

Montjuic

Santiago Calatrava
1990

Aldo Ballo, 1990

352




HALO




(R7s) 450 base x 510 x 1900 height

Prometeo

Aldo Rossi
1996



353



Infrared remote control included

LED HALO+FLUO



(B15d + 2G11) 420 x 500 base x 120 x 1800 height

Yang

Carlotta de Bevilacqua
2000



354



Infrared remote control included

FLUO



T

(GX24q-4) Ø400 x 425 x max 310 height


Metacolor

Ernesto Gismondi
2001

355



Infrared remote control included



FLUO



(T26 + G23) ø340 base x ø150 x 2050 height

Genesy

Zaha Hadid
2009

356



HALO+LED



(R7s) 1220 x 1950 height

Noto

Michele De Lucchi
2008

Elfo Puccini Theatre, Milan, Italy



357



FLUO

(G5) 1730 x 385 x 860 height

Pipe suspension

Herzog & De Meuron
2002



Compasso d'Oro / ADI
2004

358



FLUO

T

(GX24q-3) ø210 head x max 1380 height x ø180 ceiling rose



Pipe wall/ceiling

Herzog & De Meuron
2002



360

FLUO

T

(GX24q-3) ø210 head x max 1180 depth x ø180 wall/ceiling support

Pipe floor

Herzog & De Meuron
2005



361

FLUO 

(GX24q-4) ø210 head x 300 base x max 2200 height



Issey Miyake
photo by Brigitte Lacombe



Ernesto Gismondi
photo by Chris Broadbent

Artemide's IN-EI ISSEY MIYAKE is a collection of suspended, table and floor lamps; the shadows cast by the lamps are combined with subtle, beautiful nuances of light. The unique folds creating the shapes and the durability of the shades are the result of an innovative technology developed by Issey Miyake. Thanks to a recycled material featuring a higher transparency to light than paper, the plasticity of the lampshades is perfectly achieved without need for internal structures: the process of folding actually creates volumes which are solid enough to be easily remodelled. When not in use, the lamps can be folded and stored. "I'm particularly proud of this collaboration," says Ernesto Gismondi. "Issey Miyake devotes his exceptional artistic talents to a research focused on the needs and lives of the individuals: the same commitment can be seen in The Human Light, Artemide's leading philosophy. So our values and vision were in tune with Issey Miyake from the very beginning." IN-EI it means "shadow, shading, nuance" in Japanese; the project started in 2010 at the Miyake Design Studio when Jun Mitani created a new process using a computer software based on 3D geometric formulae. "132 5. ISSEY MIYAKE" is a clever method of creating clothing and represents a successful example of what can be achieved through thorough research into textiles and technology. The IN-EI project uses a special fabric that can be folded to create and retain three-dimensional shapes. IN-EI ISSEY MIYAKE was created through the partnership between Artemide lighting know-how and Reality Lab. innovative approach to materials and design.

陰翳

IN-EI

ISSEY MIYAKE

Mendori	364
Mendori mini	365
Mogura mini	366
Yadokari	367
Hakofugu suspension	368
Wuni	369
Minomushi floor	370
Minomushi suspension	371
Fukurou floor	372
Tatsuno-Otoshigo	373



Compasso d'Oro / ADI
2014

Mendori

Issey Miyake + Reality Lab.
2012



364



LED 

500 x 480 x 440 height

Mendori mini

Issey Miyake + Reality Lab.
2014



365

LED



(E14) 370 x 315 x 310 height

Mogura mini

Issey Miyake + Reality Lab.
2012

366




LED 

260 x 260 x 430 height

Yadokari

Issey Miyake + Reality Lab.
2014



367

LED



(E14) 215 x 300 x 308 height

Hakofugu suspension

Issey Miyake + Reality Lab.

2012

368



LED



(E27) 542 x 542 x 310 height. Cable min 400 - max 1700

Wuni

Issey Miyake + Reality Lab.
2014



369

LED



(E27) ø480 x 235 height. Max height 2000

Minomushi floor

Issey Miyake + Reality Lab.
2012

370



LED 

300 x 300 base x 580 x 580 x 2105 height

Minomushi suspension

Issey Miyake + Reality Lab.
2012



371


LED



580 x 580 x 2040 height x 200 ceiling rose. Max height 4250 mm

Fukurou floor

Issey Miyake + Reality Lab.
2012



372

LED

(E27) 200 x 200 base x 565 x 490 x 1550 height

Tatsuno-Otoshigo

Issey Miyake + Reality Lab.
2012



373

LED



370 x 370 x 1510 height. Max height 2800



Architectural indoor



Tagora 80, 270, 570, 970 ceiling	376
Tagora 80, 270, 570, 970 recessed	378
Tagora 80, 270, 570, 970 suspension	380
Incipit, Incipit 214 ceiling	382
Incipit, Incipit 214 suspension	383
Mouette asimmetrica, simmetrica, mini	384
Twist	385
Kao	386
Airlite	388
Cata	390
37 cube	392
PAD 80	394
Algoritmo System	398
Nothing downlight	400
Everything 35, 55, 80, 105, 150	402
Parabola 55, 80, 100	406
Zeno Up Frosted 2, 3, 4	407

Tagora 80, 270, 570, 970 ceiling

S&R Cornelissen

2008 / 2013



376



LED	FLUO	HIT	HALO LED	
-----	------	-----	-------------	--



377

Tagora 80 (LED / HIT / HALO): ø80 x 330
Tagora 270 (LED / FLUO / HIT): ø270 x 330
Tagora 570 (LED / FLUO): ø570 x 190
Tagora 970 (LED / FLUO): ø970 x 230

Tagora 80, 270, 570, 970 recessed

S&R Cornelissen

2008 / 2013



378




LED

FLUO

HIT

HALO
LED





Tagora 80 (LED / HIT / HALO): ø80 x 175 recessed
Tagora 270 (LED / FUO / HIT): ø272 x 240 recessed
Tagora 570 (LED / FLUO): ø642 x 186 recessed
Tagora 970 (LED / FLUO): ø1046 x 227 recessed

Tagora 80, 270, 570, 970 suspension

S&R Cornelissen

2008 / 2013

380



LED

FLUO

HIT

HALO
LED





Tagora 80 (LED / HIT / HALO): ø80 x 330. Cable max 2000 height
Tagora 270 (LED / FUO / HIT): ø270 x 330. Cable max 2000 height
Tagora 570 (LED / FUO): ø570 x 190. Cable max 2000 height
Tagora 970 (LED / FUO): ø970 x 230. Cable max 2000 height

Incipit, Incipit 214 ceiling

Carlotta de Bevilacqua, Fabio Zanola
2014



382

LED 

Incipit: ø344 x 225 height
Incipit 214: ø214 x 175 height

Incipit, Incipit 214 suspension

Carlotta de Bevilacqua, Fabio Zanola

2014



383

LED  

Incipit: ø344 x 154 height. Cable max 2000 height
Incipit 214: ø214 x 108 height. Cable max 2000 height

Mouette asimmetrica, simmetrica, mini

Wilmotte & Industries

2004 / 2010

384



FLUO

o

Mouette asimmetrica (G5): 1950 x 400. Cable max 5900 height
Mouette simmetrica 2500 (G5): 2550 x 400. Cable max 5900 height
Mouette simmetrica (G5): 1350 x 400. Cable max 5900 height
Mouette mini (2G11): 960 x 265. Cable max 1600 height

Twist

design Design Office
2012



385

FLUO



(G5) 1410 x 1410 x 323. Cable max 6000 height

Kao

Bruno Houssin
2007

386



FLUO



KIT A suspension (G5): 4401 x 1469 x 2037 height

KIT B suspension (G5): 2183 x 1727 x 1370 height

KIT C suspension (G5): 3708 x 1746 height

KIT D suspension (G5): 3736 x 349 height

KIT E wall/ceiling (G5): 4724 x 657 x 200 x 160 depth/height

KIT F wall/ceiling (G5): 4140 x 2150 x 200 x 160 depth/height

KIT G wall/ceiling (G5): 5205 x 3456 x 200 x 160 depth/height



Airlite

Carlotta de Bevilacqua, Paola di Arianello
2012

388



LED



Airlite suspension: $\varnothing 139 \times 85$. Cable max 2000 height
Airlite ceiling: $\varnothing 139 \times 85 \times 194$ diffuser. $200 \times 87 \times 43$ ceiling support



Cata

Carlotta de Bevilacqua

2012 / 2014

390



LED



S

D

Cata suspension: $\varnothing 146$ x 157 height. Cable max 2000 height

Cata ceiling fix: $\varnothing 130$ x 67 height

Cata ceiling: $\varnothing 146$ x 176 height



391

Catadioptric unit 10°: ø132 x 122
Catadioptric unit 14°: ø132 x 95
TIR Optic (narrow / spot / flood / wide flood / ww): ø84 x 33
Wide Optic 64°: ø125 x 108

37 cube

Carlotta de Bevilacqua, Paola di Arianello
2011



392

LED



37 x 37 x max 140 height



PAD 80

Carlotta de Bevilacqua
2012

394



LED



Recessed - Trim version
Frame for 1 optic unit: 114 x 114 x 78 recessed
Frame for 2 optic units: 114 x 199 x 78 recessed
Frame for 3 optic units: 114 x 284 x 78 recessed
Frame for 4 optic units: 199 x 199 x 78 recessed



395

Recessed - Trimless version
Frame for 1 optic unit: 90 x 90 x 73 recessed
Frame for 2 optic units: 90 x 175 x 73 recessed
Frame for 3 optic units: 90 x 260 x 73 recessed
Frame for 4 optic units: 175 x 175 x 73 recessed



396

LED



Ceiling
Frame for 1 optic unit: 96 x 96 x 112 height
Frame for 2 optic units: 96 x 181 x 112 height
Frame for 3 optic units: 96 x 266 x 112 height



Algoritmo System

Carlotta de Bevilacqua, Paola di Arianello

2010

398

LED





399

For information on this family product see the Architectural Catalogue.

Nothing downlight

Ernesto Gismondi

2005

400



LED	HIT	HALO LED	
-----	-----	-------------	--

Nothing 105 fixed (LED / HIT / HALO): ø160 x 127 recessed
Nothing 105 adjustable (LED / HIT / HALO): ø160 x max 155 recessed
Nothing 155 adjustable (HALO / HIT): ø210 x max 320 recessed



Everything 35, 55, 80, 105, 150

Ernesto Gismondi

2013



402

Everything 35
round-square

Everything 55
round-square

Everything 80
round-square

LED



Everything 35 round: $\varnothing 35 \times 48$ recessed
Everything 35 square: $35 \times 35 \times 48$ recessed
Everything 55 round: $\varnothing 55 \times 78,5$ recessed
Everything 55 square: $55 \times 55 \times 78,5$ recessed
Everything 80 round trim: $\varnothing 80 \times 115$ recessed
Everything 80 round trimless: $\varnothing 60 \times 115$ recessed
Everything 80 square trim: $80 \times 80 \times 115$ recessed
Everything 80 square trimless: $60 \times 60 \times 115$ recessed




403

Everything 105
round-square

Everything 150
round-square

Everything 105 round trim: $\varnothing 105 \times 130$ recessed
Everything 105 round trimless: $\varnothing 80 \times 130$ recessed
Everything 105 square trim: $105 \times 105 \times 130$ recessed
Everything 105 square trimless: $80 \times 80 \times 130$ recessed
Everything 150 round trim: $\varnothing 150 \times 137,5$ recessed
Everything 150 round trimless: $\varnothing 127 \times 137,5$ recessed
Everything 150 square trim: $150 \times 150 \times 137,5$ recessed
Everything 150 square trimless: $127 \times 127 \times 137,5$ recessed



404

Everything 35
square

Everything 35
round

Parabola 55, 80, 100

Artemide

2010



Parabola 55
round




Parabola 80
round



Parabola 100
round

406



Parabola 55
square



Parabola 80
square



Parabola 100
square

LED



Parabola 55 round fixed: $\varnothing 55 \times 61$ recessed
Parabola 55 round adjustable: $\varnothing 64 \times 62$ recessed
Parabola 55 square fixed: $55 \times 55 \times 60$ recessed
Parabola 80 round fixed: $\varnothing 75 \times 87$ recessed
Parabola 80 round adjustable: $\varnothing 88 \times 87$ recessed
Parabola 80 square fixed: $75 \times 75 \times 88$ recessed
Parabola 100 round fixed: $\varnothing 94 \times 95$ recessed
Parabola 100 round adjustable: $\varnothing 108 \times 97$ recessed
Parabola 100 square fixed: $94 \times 94 \times 95$ recessed

Zeno Up Frosted 2, 3, 4

Jan Van Lierde

2013



Zeno Up Frosted 2
round



Zeno Up Frosted 3
round



Zeno Up Frosted 4
round

407



Zeno Up Frosted 2
square



Zeno Up Frosted 3
square



Zeno Up Frosted 4
square



Zeno Up Frosted 2 round: $\varnothing 55 \times 49$ recessed
Zeno Up Frosted 2 square: $50 \times 50 \times 49$ recessed
Zeno Up Frosted 3 round: $\varnothing 76 \times 48$ recessed
Zeno Up Frosted 3 square: $65 \times 65 \times 48$ recessed
Zeno Up Frosted 4 round: $\varnothing 110 \times 52$ recessed
Zeno Up Frosted 4 square: $90 \times 90 \times 52$ recessed

408



Architectural outdoor

409

Oblique	410
Tetragono	412
Logico Garden	414
Ippolito	415
Eraclea	416
Ciclope	417
Nuda	418
Chilone	419
Cuneo	420
Cuneo Mini	420
Granito	422
Piroscafo	424
Tolomeo mega outdoor	426
Tolomeo XXL	427
Reeds	428
Reeds Triplo	428


Oblique

Arik Levy

2015



410



LED





411



Oblique 75: 50 x 182 x 750 height x ø100 diffuser
Oblique 45: 50 x 182 x 450 height x ø100 diffuser
Oblique 0: 50 x 182 x 190 height x ø100 diffuser
Oblique wall: 50 x 182 x 190 depth x ø100 diffuser

Tetragono

Ernesto Gismondi

2013

412



LED

■	T
S	D

Tetragono floor 45: 130 x 130 x 450 height
Tetragono floor 90: 130 x 130 x 900 height
Tetragono wall 45: 130 x 130 x 165 depth



Logico Garden

Michele De Lucchi, Daniele Moioli

2014

414



LED



Logico Garden 45: ø170 x 450 height
Logico Garden 60: ø170 x 600 height
Logico Garden 90: ø170 x 900 height
Logico Garden 3x120°: ø320 x 910 height

Ippolito

Alessandro Pedretti (Studio Rota & Partners)

2011

415



LED




Ippolito 45: ø200 x 450 height
Ippolito 90: ø200 x 900 height

Eraclea

Neil Poulton
2011

416



LED

510 x 130 x 800 height

Ciclope

Alessandro Pedretti (Studio Rota & Partners)

2009

417



LED



- Ciclope floor 50: 50 x 170 x 500 height x 110 head
- Ciclope floor 50 bilateral: 50 x 170 x 500 height x 170 head
- Ciclope floor 90: 50 x 170 x 900 height x 110 head
- Ciclope floor 90 bilateral: 50 x 170 x 900 height x 170 head
- Ciclope recessed: 170 x 270 height x 100 x 40 recessed
- Ciclope wall: 50 x 170 x 270 height x 110 head

Nuda

Ernesto Gismondi

2010

Centro Servizi dello studentato universitario, Trento, Italy



LED



Nuda floor 50 mono/bilateral: 48 x 168 x 500 height x 195 x 130 base
Nuda floor 100 mono/bilateral: 48 x 168 x 1000 height x 195 x 130 base
Nuda recessed: 180 x 235 x 55

Chilone

Ernesto Gismondi

2009

419

LED

Chilone floor 45: 168 x 175 x 450 height
Chilone floor 90: 168 x 175 x 900 height
Chilone up: 168 x 160 x 490 height
Chilone pole: 168 x 210 x 2500 height
Chilone wall: 168 x 435 x 48 x 255 depth

Cuneo, Cuneo Mini

Klaus Begasse

2010 / 2015



420



Cuneo: 170 x 70 x 200
Cuneo Mini: 64 x 80 x 200




Granito

Ernesto Gismondi

2010

422




LED | HIT | 

Granito 30: 300 x 300 x 300 height
Granito 60: 300 x 300 x 600 height



Piroscafo

Ernesto Gismondi
2014



424



LED



ø190 x 170 x 275 height



Tolomeo mega outdoor

Michele De Lucchi, Giancarlo Fassina

2015



426

Hook

Suspension



LED



IP65

Floor: \varnothing 600 base x max 1230 x max 2320 height - diffuser: \varnothing 420/520

Hook: 491/562 height - diffuser: \varnothing 420/520. Cable max 5000

Suspension: 290/358 height - diffuser: \varnothing 420/520. Cable max 1900

Tolomeo XXL

Michele De Lucchi, Giancarlo Fassina
2009

Meet Design 2011, Rome, Italy



Base ø1000



Pivot



427

FLUO |  IP65

(GX24q-5) max 2620 x max 2920 height

Reeds, Reeds triplo

Klaus Begasse
2013

428




LED



IP20 / IP67 / IP68

Reeds: 224 x 219 base x 1499 height
Reeds triplo: 418 x 423 base x 1499 height





DANESE



MILANO



Falkland floor	432
Falkland suspension	433
Les Danseuses 65, 90	434
Stabligh A, B, C	436
Stabligh	437
Itka 20, 35, 50 suspension	438
Itka 20, 35 table	439
Itka base	440
Itka 20, 35, 50 table floor	441
Itka 20, 35, 50 wall/ceiling	442
Mia	444
Eclittica 20 table	446
Eclittica 20 wall/ceiling	447
Eclittica 20 suspension	448
Eclittica 50 suspension	449
Two flags wall	450
Two flags floor	451
Miyako 30, 55 wall	452
Miyako 30, 55 ceiling	453
Miyako chandelier	454
Miyako 30, 55 suspension	455
Olmo	456
Una Pro	458
Una Pro 75	459
Una Pro 75 recessed	460
Una Pro 75 track	461
100%	462

Falkland floor

Bruno Munari

1964



432

LED
FLUO
HALO



(E27) ø400 x 1850 height

Falkland suspension

Bruno Munari

1964



433

LED
FLUO
HALO



Falkland 53 (E27): \varnothing 400 x 530. Cable max 1500
Falkland 85 (E27): \varnothing 400 x 850. Cable max 1500
Falkland 165 (E27): \varnothing 400 x 1650. Cable max 1500

Les Danseuses 65, 90

Atelier Oi
2015

Fan & Light

434



LED



Les Danseuses 65: diffuser max ø1150 x max 650 height
Les Danseuses 90: diffuser max ø1500 x max 900 height
3 Speed fan. Dimmable fan and light



Stabligh A, B, C

Arik Levy

2015

436



A



B



C

LED



Stabligh A (Gu10): \varnothing 135 x 135. Cable max 2100 height
Stabligh B (Gu10): \varnothing 100 x 270. Cable max 2100 height
Stabligh C (Gu10): \varnothing 210 x 170. Cable max 2100 height

Stabligh

Arik Levy

2015



437

LED



Arm glass A: 645. Cable max 2800 height
Arm glass B: 435. Cable max 2400 height
Arm glass C: 220. Cable max 2600 height

Itka 20, 35, 50 suspension

Naoto Fukasawa

2008 / 2010

438



LED
FLUO



Itka 20 (Gx53): ø200 x 85. Cable min 800 max 2000
Itka 35 (E14): ø350 x 105. Cable min 800 max 2000
Itka 50 (E27): ø500 x 165. Cable min 800 max 2000

Itka 20, 35 table

Naoto Fukasawa

2008 / 2010



439

LED
FLUO 

Itka 20 (Gx53): ø200 x 307 height
Itka 35 (E14): ø350 x 345 height

Itka base

Naoto Fukasawa
2013



440



LED



ø300 x 240 height

Itka 20, 35, 50 table floor

Naoto Fukasawa

2008 / 2010



441



LED
FLUO



Itka 20 (Gx53): ø200 x 85 height
Itka 35 (E14): ø350 x 125 height
Itka 50 (E27): ø500 x 170 height

Itka 20, 35, 50 wall/ceiling

Naoto Fukasawa

2008 / 2010



442



LED
FLUO



IP65 (Itka 20, 35)
IP20 (Itka 50)

Itka 20 (Gx53): \varnothing 200 x 86 depth
Itka 35 (E14): \varnothing 350 x 125 depth
Itka 50 (E27): \varnothing 500 x 170 depth



Mia

Paola di Arianello
2014

444



LED



(Gu10) ø270 x 430 height



445




Eclittica 20 table

Carlotta de Bevilacqua

2013

446



LED 

235 x 35 x 235 height

Eclittica 20 wall/ceiling

Carlotta de Bevilacqua

2013



447



LED



235 x 35 x 235 depth

Eclittica 20 suspension

Carlotta de Bevilacqua
2013

448



LED



ø200 x 50. Cable max 2000

Eclittica 50 suspension

Carlotta de Bevilacqua

2013



449



LED





ø500 x 50. Cable max 1500

Two flags wall

Ernesto Gismondi, Neil Poulton

2010

450



LED



245 x 110 x 82 depth

Two flags floor

Ernesto Gismondi, Neil Poulton
2010



451



LED



245 x 110 diffuser x 1830 height

Miyako 30, 55 wall

Studio 63

2009

452



LED



Miyako 30: 50 x 50 x 300 x 65 depth
Miyako 55: 50 x 50 x 550 x 65 depth

Miyako 30, 55 ceiling

Studio 63

2009



453

LED



Miyako 30: 50 x 50 x 300 height
Miyako 55: 50 x 50 x 550 height

Miyako chandelier

Studio 63

2009

454



LED



4 light + 4 mirror: 600 x 600 x 900 height
6 light + 2 mirror: 600 x 600 x 900 height

Miyako 30, 55 suspension

Studio 63

2009



455



Miyako 30: 50 x 300. Cable max 1500 height
Miyako 55: 50 x 550. Cable max 1500 height

Olmo

Giulio Iacchetti
2015

456



Joint 360°



Magnetic connection

LED 



Profile: 1200 x 25 x 25
Linear Module 300: 300 x 25 x 50 depth/height
Linear Module 600: 600 x 25 x 50 depth/height
Spot: Ø70 x 100 depth/height
Cable max 2100 height



457



Linear Module 300

Linear module 600

Spot


Una Pro wall/ceiling

Carlotta de Bevilacqua

2015

Patent of Invention
MI2010A000185

458



LED



9 LED: 150 x 150 plate. ø100 wall/ceiling support x 280
12 LED: 150 x 150 plate. ø100 wall/ceiling support x 280
16 LED: 150 x 150 plate. ø100 wall/ceiling support x 280

Una Pro 75

Carlotta de Bevilacqua

2011

Patent of Invention
MI2010A000185



459



LED



4 LED: 120 x 120 x 120 depth
2x4 LED: 120 x 250 x 120 depth

Una Pro 75 recessed

Carlotta de Bevilacqua

2011

Patent of Invention
MI2010A000185



460



LED



4 LED: 147 x 147 x 80 recessed
2x4 LED: 147 x 250 x 80 recessed
3x4 LED: 147 x 350 x 80 recessed
4x4 LED: 250 x 250 x 80 recessed

Una Pro 75 track ceiling, suspension

Carlotta de Bevilacqua

2011

Patent of Invention
MI2010A000185



461



LED



Una Pro 75 track ceiling 100 x 100 x 15000.
Una Pro 75 track suspension 100 x 100 x 15000. Cable max 2000 height

100% suspension

Ross Lovegrove
2010

462



LED



S



S



S



Circuit



Single Module: 1200 x 100 x 6. Cable max 2000 height



Info

Products Lamping	466
Energy Labels	482
How to read the catalogue	486
Colours	487
Artemide Worldwide	488

Lamping

C ceiling, F floor, S suspension, T table, W wall, W/C wall/ceiling, R recessed

Energy Label

100% S	LED	Total power 33W		2304lm	3000K	dim	1
37 Cube C	LED	Total power 8W	14°	483lm	3000K	-	1
	LED	Total power 8W	14°	517lm	4000K	-	1
	LED	Total power 8W	18°	463lm	3000K	-	1
	LED	Total power 8W	18°	495lm	4000K	-	1
	LED	Total power 8W	30°	468lm	3000K	-	1
	LED	Total power 8W	30°	501lm	4000K	-	1
90° (home-office) F	LED	Total power 20W		2000lm	3000K	dim	1
Aggregato S	HALO	max 1x77W	E27				6
	or FLUO (max 1x20W - E27) or LED (E27)						
Airlite C	LED	Total Power 35W	16°	2544lm	3000K	dim/-	1
	LED	Total Power 35W	16°	2705lm	4000K	dim/-	1
	LED	Total Power 35W	35°	2360lm	3000K	dim/-	1
	LED	Total Power 35W	35°	2510lm	4000K	dim/-	1
Airlite S	LED	Total Power 24W	78°	1492lm	3000K	-	1
	LED	Total Power 24W	78°	1596lm	4000K	-	1
Alfa T	HALO	max 2x28W	E14			dim	30
Altrove W/C, S	FLUO	2x3 RGB Groups 39W	G5 + remote control			dim	38
	LED*	Total power 50W		3300lm	3000K	dim	1
Altrove 600 W/C, S	FLUO	2x55W	2G11		3000K	dim	33
	LED*	Total power 32W		2200lm	3000K	dim	1
Altrove TW W/C, S	FLUO	2x39W	G5		3000K	dim	22
	+ FLUO	2x39W	G5		6500K	dim	
	LED*	Total power 50W		3300lm	2700/6500K	dim	1
Athena F	LED	Total power 44W		3600lm	3000K	dim	1
Boalum T/F	LED	max 25x5W/12V			2800K	-	18
Botanic Rain C	Only for Custom Projects						
Cabildo F, S	LED*	Total power 38W		4000lm	3000K	dim	1
	HALO	max 1x230W	R7s		2950K	dim	5
Cabildo W	LED*	Total power 28W		2850lm	3000K	dim	1
	HALO	max 1x230W	R7s		2950K	dim	5
Cadmo F	indirect LED	Total power 44W		3000lm	3000K	dim	26
	diffused LED	Total power 8W	Gu10		3000K		
	indirect HALO	max 1x230W	R7s		2950K	dim	12

	diffused Refl.	max 1x60W	E27	2700K		
Cadmo W	LED	max 2x10W	GU10	3000K	-	36
	FLUO	2x26W/32W	GX24q-3		-	7
Calenda S	diffused FLUO	4x55W	2G11	3000K	dim	54
	decorative LED blue	1x3,5W				-
Callimaco F	LED	Total power 45W		3450lm	3000K	dim 1
	HALO	max 1x230W	R7s		2950K	dim 5
Castore 14 T, S	HALO	max 1x48W	G9	2800K	-	18
Castore 25 S	HALO	max 1x77W	E27		-	6
	or FLUO (max 1x15W - E27) or LED (E27)					
Castore 25 T	HALO	max 1x77W	E27			dim 4
Castore 35 S	HALO	max 1x150W	E27			dim 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Castore 35 T, F	HALO	max 1x150W	E27			dim 4
Castore 42 S	HALO	max 1x150W	E27			dim 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Castore 42 T, F	HALO	max 1x205W	E27			dim 4
Castore Calice 18 S	HALO	max 1x48W	G9	2800K	dim	18
Castore Calice 42 S	HALO	max 1x205W	E27			dim 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Cata Catadioptric C, S	LED	Total Power 29W	10°	898lm	3000K	dim 1
	LED	Total Power 29W	10°	951lm	4000K	dim 1
	LED	Total Power 29W	14°	754lm	3000K	dim 1
	LED	Total Power 29W	14°	800lm	4000K	dim 1
Cata TIR C, S	LED	Total Power 22,5W	8°	1000lm	3000K	dim 1
	LED	Total Power 22,5W	8°	1070lm	4000K	dim 1
	LED	Total Power 22,5W	16°	1194lm	3000K	dim 1
	LED	Total Power 22,5W	16°	1275lm	4000K	dim 1
	LED	Total Power 22,5W	28°	875lm	3000K	dim 1
	LED	Total Power 22,5W	28°	935lm	4000K	dim 1
	LED	Total Power 22,5W	48°	837lm	3000K	dim 1
	LED	Total Power 22,5W	48°	906lm	4000K	dim 1
	LED	Total Power 22,5W	ww	826lm	3000K	dim 1
	LED	Total Power 22,5W	ww	891lm	4000K	dim 1
Cata Wide C, S	LED	Total Power 29W	64°	2013lm	3000K	dim 1
	LED	Total Power 29W	64°	2134lm	4000K	dim 1
Chilone 45, 90 F	LED	Total power 8W		194lm	3000K	- 1
Chilone up, pole, wall F, W	LED	Total power 17W		515lm	3000K	- 1

Chimera F	FLUO	3x28W	G5	3000K	dim	23
Chlorophilia S	LED	Total power 37W		2848lm	3000K	dim 1
Choose F	FLUO	2x13W	GX24q-1			- 7
	HALO	max 2x52W	E27			- 6
	or FLUO (E27) or LED (E27)					
Choose S	HALO	max 1x77W	E27			- 6
	or LED (E27)					
Choose T	HALO	max 1x52W	E27			- 6
	or LED (E27)					
Choose W	HALO	max 1x46W	E14			- 30
	or LED (E14)					
	HALO (IP23)	max 1x46W	E14			- 30
	or LED (E14)					
	LED	Total power 1,9W		65lm	3000K	- 1
Choose mega F	direct HALO	max 3x77W	E27			- 6
	or FLUO (E27) or LED (E27)					
	indirect Refl.	max 1x100W	E27			
Choose mega S	HALO	max 3x77W	E27			- 6
	or FLUO (E27) or LED (E27)					
Ciclope R, W	LED	Total power 6W		284lm	3000K	- 1
Ciclope 50, 90 monolateral F	LED	Total power 6W		284lm	3000K	- 1
Ciclope 50, 90 bilateral F	LED	Total power 13W		568lm	3000K	- 1
Copernico S	LED	Total power 38W		2565lm	3000K	dim 1
Copernico 500 S	LED	Total power 27W		2375lm	3000K	dim 1
Cosmic Angel C	HALO	max 2x400W	R7s			dim 21
	+ FLUO	2x55W	2G11			
Cosmic Angel S	HALO	max 2x400W	R7s	2950K	dim	5
Cosmic Leaf F	LED*	Total power 22W		1500lm	3000K	dim 1
	HALO	1x100W	G53		3000K	- 32
Crazy W/C	LED	Total power 35W		3600lm	3000K	dim 1
Cuma 10 W	LED	Total power 14W		696lm	3000K	- 1
Cuma 20 W	LED	Total power 28W		1431lm	3000K	- 1
Cuma 26 W	HALO	max 1x230W	R7s		3000K	dim 5
Cuneo F, W	LED	Total power 17W	14,6°x63,4°	595lm	3000K	- 1
	LED	Total power 17W	14,6°x63,4°	668lm	4000K	- 1
Cuneo mini F, W	LED	Total power 11W	55,2°x79,4°	650lm	3000K	- 1
Dalù T (polished)	HALO	max 1x28W	E14			- 30
	or FLUO (max 1x5W - E14) or LED (E14)					

Demetra T, F, W	LED	Total power 9,5W		392lm	3000K	dim	1
Demetra wall spot W	LED	Total power 10W		392lm	3000K	dim	1
Dinarco W	HALO	max 1x160W	R7s		2900K	-	5
Dioscuri 14 T, W/C	HALO	max 1x48W	G9		2800K	-	18
Dioscuri 25 W/C	HALO	max 1x77W	E27			-	6
		or FLUO (max 1x20W - E27) or LED (E27)					
Dioscuri 25 T	HALO	max 1x77W	E27			dim	4
Dioscuri 35 W/C	HALO	max 1x105W	E27			-	6
		or FLUO (max 1x23W - E27) or LED (E27)					
Dioscuri 35 T	HALO	max 1x150W	E27			dim	4
Dioscuri 42 W/C	HALO	max 1x105W	E27			-	6
		or FLUO (max 1x23W - E27) or LED (E27)					
Dioscuri 42 T	HALO	max 1x205W	E27			dim	4
Discovery T	LED*	Total power 21W		1210lm	3000K	dim	1
Discovery S	LED*	Total power 44W		4334lm	3000K	dim	1
Doride F	FLUO	1x57W	GX24q-5		3000K	dim	35
Droplet C, S	LED	Total power 3x29W		3x2330lm	3000K	dim	1
	HALO	max 3x160W	R7s		2950K	dim	5
Droplet mini W/C	LED	Total power 29W		2330lm	3000K	dim	1
	HALO	max 1x160W	R7s		2950K	dim	5
Eclisse T	HALO	max 1x18W	E14			-	30
		or FLUO (max 1x5W - E14) or LED (E14)					
Eclittica 20 T, W/C, S	LED	Total power 14W		1274lm	3000K	dim	1
Eclittica 50 S	LED	Total power 33,5W		3000lm	3000K	dim	1
Edge 21 W/C	FLUO	1x20W	E27			-	9
		or LED (E27)					
Edge 30 W/C, S	FLUO	1x23W	E27			-	9
		or LED (E27)					
Empatia 16 T, W, C, S	LED	Total power 11W		530lm	3000K	dim/-	1
Empatia 26 T, F, W, C, S	LED	Total power 16W		709lm	3000K	dim	1
Empatia 36 T, W, C, S	LED	Total power 24W		1189lm	3000K	dim	1
Empirico F	FLUO	max 2x35W	G5		3000K	dim	23
Empirico, System S (1 module)	FLUO	max 2x35W	G5		4000K	dim	9
Equilibrist T	LED	Total power 12W		(round head)195lm	3000K	dim	1
				(square head)310lm	3000K	dim	
Eurialo W	FLUO	1x32W	GX24q-3			-	7
	or FLUO	1x42W	GX24q-4				
	HALO	max 1x160W	R7s		2950K	dim	5

Eraclea F	LED	Total power 8W		320lm	3000K	-	1
Everything 35 R	LED	Total power 1,4W	14°/24°	98lm	3000K	dim/-	1
	LED	Total power 1,4W	14°/24°	105lm	4000K	dim/-	1
Everything 55 R	LED	Total power 6,4W	20°	475lm	3000K	dim/-	1
	LED	Total power 6,4W	20°	513lm	4000K	dim/-	1
	LED	Total power 6,4W	34°	442 lm	3000K	dim/-	1
	LED	Total power 6,4W	34°	476 lm	4000K	dim/-	1
	LED	Total power 8,5W	20°	634lm	3000K	dim/-	1
	LED	Total power 8,5W	20°	684lm	4000K	dim/-	1
	LED	Total power 8,5W	34°	589lm	3000K	dim/-	1
	LED	Total power 8,5W	20°	634lm	4000K	dim/-	1
	Everything 80, 105 R	LED	Total power 12W	20°	998lm	3000K	dim/-
LED		Total power 12W	20°	1048lm	4000K	dim/-	1
LED		Total power 12W	24°	901lm	3000K	dim/-	1
LED		Total power 12W	24°	946lm	4000K	dim/-	1
LED		Total power 12W	48°	796lm	3000K	dim/-	1
LED		Total power 12W	48°	836lm	4000K	dim/-	1
Everything 150 R	LED	Total power 24,4W	18°	1860lm	3000K	dim/-	1
	LED	Total power 24,4W	18°	1940lm	4000K	dim/-	1
	LED	Total power 24,4W	28°	1640lm	3000K	dim/-	1
	LED	Total power 24,4W	24°	1710lm	4000K	dim/-	1
	LED	Total power 24,4W	46°	1520lm	3000K	dim/-	1
	LED	Total power 24,4W	46°	1590lm	4000K	dim/-	1
Falkland T, S	FLUO	max 1x22W	E27			-	6
		or FLUO (E27) or LED (E27)					
Fato T	HALO	max 2x28W	E14			-	30
		or FLUO (max 2x8W - E14) or LED (E14)					
Fiamma F, S, T, W/C	LED	max 1x8W	Gu10			dim/-	9
Fiamma 15 F	LED	Total power 14W		1042lm	3000K	dim	1
Fiamma 15 C	LED	Total power 20W		1035lm	3000K	dim	1
Fiamma 30 C, S	LED	Total power 28W		1502lm	3000K	dim	1
Flashit W	LED	Total power 31W		2212lm	3000K	dim	1
Float circolare C, S	FLUO	1x55W	2GX13		3000K	-	28
Florensis F	LED	Total power 44W		2710lm	3000K	dim	1
Florensis W	LED	Total power 28W		1838lm	3000K	-	1
Fukurou F	LED	1x20W	E27			-	9
Genesy F	indirect	HALO	max 1x230W	R7s		dim	16
	direct	LED	Total power 12W		450lm	3000K	

Granito 30, 60 F	LED*	Total power 28W		3000K	-	1
	HIT	1x35W	G12			19
Groupage 20 C	LED	Total power 13W		491lm	3000K	dim 1
Groupage 32 C	LED	Total power 23W		1451lm	3000K	dim 1
Groupage 45 C	LED	Total power 40W		3036lm	3000K	dim 1
Hakofugu S	LED	1x17W	E27			- 9
Halo T	LED	Total power 13,5W		1140lm	4000K	dim 1
Ilio F	LED	Total power 45W		3564lm	3000K	dim 1
Incalmo C, S	LED	Total power 39W		3373lm	3000K	dim 1
Incalmo 214 C, S	LED	Total power 26W		2602lm	3000K	dim 1
Incipit C, S	LED	Total power 40W	144°	4016lm	3000K	dim 1
	LED	Total power 40W	38°	3180lm	3000K	dim 1
Incipit 214 C, S	LED	Total power 29W	102°	2073lm	3000K	dim 1
	LED	Total power 29W	56°	2053lm	3000K	dim 1
Invero C, S	LED	Total power 31W		1402lm	3000K	dim 1
Invero 214 C, S	LED	Total power 46W		2091lm	3000K	dim 1
Iosif C	LED	Total power 4,5W		207lm	3000K	- 1
Ipparco T	LED	Total power 8,5W		453lm	3000K	dim 1
Ippolito 45 F	LED	Total power 15W		1060lm	3000K	- 1
Ippolito 90 F	LED	Total power 15W		1130lm	3000K	- 1
Islet W	LED	Total power 10W		668lm	3000K	- 1
Itka 20 T, T/F, W/C, S	FLUO	max 1x9W	GX53			- 7
	or LED (GX53)					
Itka 35 T, T/F, W/C, S	FLUO	max 3x10W	E14			- 7
	or LED (E14)					
Itka 50 T, W/C, S	FLUO	max 3x23W	E27			- 7
	or LED (E27)					
Itka base T	LED	Total power 7,5W		725lm	3000K	- 1
Jet, Jet base W	LED	Total power 1W		74lm	3000K	dim 1
Kao S, W/C	KIT A S	FLUO	2x24W + 2x54W	G5	3500+8900lm	- 9
	KIT B S	FLUO	1x24W + 1x54W	G5	1750+4450lm	- 9
	KIT C, D S	FLUO	2x54W	G5	8900lm	- 9
	KIT E W/C	FLUO	4x54W	G5	17800lm	- 9
	KIT F W/C	FLUO	3x54W + 2x24W	G5	13350+3550lm	- 9
	KIT G W/C	FLUO	6x54W + 2x24W	G5	26700+3500lm	- 9
Laguna 16 F, T	LED	Total power 13 W		539lm	3000K	dim 1
Laguna 16 C, S	LED	Total power 15 W		539lm	3000K	- 1
Laguna 26 F, T	LED	Total power 24 W		1211lm	3000K	dim 1

Laguna 26 C, S	LED	Total power 20 W		1211lm	3000K	-	1
Laguna 37 F, T	LED	Total power 31 W		1881lm	3000K	dim	1
Laguna 37 C, S	LED	Total power 28 W		1881lm	3000K	-	1
Lana S	LED	max 1x6,8W	Gu10				dim 9
La Petite T	LED	max 1x6W	E14		2800K	-	36
Led Net circle C, S	LED	Total power 43W		2502lm	3000K	dim	1
Led Net line 66 C, S	LED	Total power 23W		1313lm	3000K	-	1
Led Net line 125 C, S	LED	Total power 45W		2530lm	3000K	dim	1
Les Danseuses 65, 90 S	LED	Total power 27W		2000lm	3000K	dim	1
Lesbo T	HALO	max 1x77W	E27				dim 4
Logico C, S	HALO	max 1x105W	E27				- 6
		or FLUO (max 1x23W - E27) or LED (E27)					
Logico T	HALO	max 3x46W	E27				dim 4
Logico W	HALO	max 2x52W	E27				- 6
		or FLUO (E27) or LED (E27)					
Logico 3 in linea C, S	HALO	max 3x105W	E27				- 6
		or FLUO (max 3x23W - E27) or LED (E27)					
Logico 3x120° C, S	HALO	max 3x105W	E27				- 6
		or FLUO (max 3x23W - E27) or LED (E27)					
Logico garden F	LED	Total power 15W		294lm	3000K	-	1
Logico garden 3x120° F	LED	Total power 45W		899lm	3000K	-	1
Logico micro C, S	HALO	max 1x46W	E14				- 30
		or FLUO (max 1x8W - E14) or LED (E14)					
Logico micro T	HALO	max 1x46W	E14				- 30
		or FLUO (max 1x11W - E14) or LED (E14)					
Logico micro W	HALO	max 1x46W	E14				- 30
		or FLUO (E14) or LED (E14)					
Logico micro 3 in linea C, S	HALO	max 3x46W	E14				- 30
		or FLUO (max 3x8W - E14) or LED (E14)					
Logico micro 3x120° C, S	HALO	max 3x46W	E14				- 30
		or FLUO (max 3x8W - E14) or LED (E14)					
Logico mini C, S	HALO	max 1x77W	E27				- 6
		or FLUO (max 3x8W - E14) or LED (E14)					
Logico mini T	HALO	max 3x28W	E14				dim 4
Logico mini W	HALO	1x52W	E27				- 6
		or FLUO (E27) or LED (E27)					
Logico mini 3 in linea C, S	HALO	max 3x77W	E27				- 6
		or FLUO (E27) or LED (E27)					

Logico mini 3x120° C, S	HALO	max 3x77W	E27	-	6
	or FLUO (E27) or LED (E27)				
Logico nano C, S	HALO	max 1x46W	E14	-	30
	or FLUO (E14) or LED (E14)				
Lunarphase 450 LED C	LED	Total power 28W	1800lm	3000K	dim 1
Lunarphase 600 LED C	LED	Total power 28W	1800lm	3000K	dim 1
Lotek T	LED	Total power 6W	288lm	3000K	dim 1
Megaron F	LED	Total power 45 W	4078lm	3000K	dim 1
	HALO	max 1x400W	R7s	2950K	dim 5
Melampo T, F	HALO	max 2x52W	E27	-	6
	or FLUO (max 2x15W - E27) or LED (E27)				
Melampo W	HALO	max 1x46W	E14	-	30
	or FLUO (max 1x11W - E14) or LED (E14)				
Melampo mega F	HALO	max 2x150W	E27		dim 4
Melampo notte T	HALO	max 1x46W	E14	-	30
	or FLUO (max 1x11W - E14) or LED (E14)				
Melete W	LED	Total power 29W	2130lm	3000K	dim 1
	HALO	max 1x160W	R7s	2950K	dim 5
Mendori T	LED	Total power 10W	425lm	3000K	dim 1
Mendori mini T	LED	max 1x6W	E14	2700K	- 36
Mercury C, S	LED	Total power 2X29W	2X2330lm	3000K	dim 1
	HALO	max 2x160W	R7s	2950K	dim 5
Mercury mini C, S	LED	Total power 29W	2330lm	3000K	dim 1
	HALO	max 1x160W	R7s	2950K	dim 5
Mesmeri W	LED	Total power 28W	2130lm	3000K	- 1
	HALO	max 1x230W	R7s	2950K	dim 5
Metacolor F	diffused	FLUO	3x58W RGB T26	G13 + remote control	dim 24
	presence	FLUO	3x9W	G23 blue	3000K
Meteorite 15, T, S	HALO	max 1X48W	G9	2800K	dim 18
Meteorite 15 stem T	HALO	max 1X48W	G9	2800K	dim 18
Meteorite 15 W/C	HALO	max 1X48W	G9	2800K	- 18
Meteorite 35 S, W/C	HALO	max 1X150W	E27	-	4
	or FLUO (E27) or LED (E27)				
Meteorite 35 F, T	HALO	max 1x150W	E27	-	4
Meteorite 35 stem T	HALO	max 1X150W	E27		dim 4
Meteorite 48 T	HALO	max 1x150W	E27		dim 4
Meteorite 48 S, C	HALO	max 1x150W	E27	-	4
	or FLUO (max 1x130 - E27) or LED (E27)				

Mezzachimera F	HALO	max 3x60W	E27		-	6
	or FLUO (max 3x20W - E27) or LED (E27)					
Mia T	LED	max 1x6,8W	Gu10		-	9
Miconos W	FLUO globe	1x20W	E27 (Ø90mm)		-	9
	or HALO (E27 - Ø90mm) or LED (E27 - Ø90mm)					
Miconos S, C	FLUO globe	1x23W	E27 (Ø 120mm)		-	9
	or HALO (E27 - Ø120mm) or LED (E27 - Ø120mm)					
Microsurf W	LED	Total power 26W		2124lm	3000K	- 1
Mimesi F	indirect LED	Total power 42W		2700lm	3000K	dim 1
	diffused LED	Total power 3W		100lm	6000K	
Minomushi F, S	LED	Total power 28W		1743lm	3000K	dim 1
Miyako 30, 55 C, S	LED	Total power 5W		180lm	3200K	- 1
Miyako 30, 55 W	LED	Total power 7W		243lm	3200K	- 1
Miyako chandelier S	LED	Total power 20W (4 light modules)		720lm	3200K	- 1
	LED	Total power 30W (6 light modules)		1080lm	3200K	- 1
Mogura mini T	LED	Total power 10W		378lm	3000K	dim 1
Montjuic F	HALO	max 1x400W	R7s		2950K	dim 5
Mouette asimmetrica S	FLUO T16	2x24W	G5	12400lm		dim/- 23
	+ FLUO T16	2x54W	G5			
Mouette mini S	FLUO	2x36W	2G11	5600lm		- 23
Mouette simmetrica S	FLUO	4x24W	G5	7000lm		dim/- 23
Mouette simmetrica 2500 S	FLUO	4x54W	G5	17800lm		dim/- 23
Nebula W/C	LED	Total power 47W		2087lm	3000K	- 1
Nessino, Nesso T	HALO	max 4x18W	E14			- 30
	or FLUO (max 4x5W - E14) or LED (E14)					
New Nature F	indirect LED	Total power 42W		2520lm	3000K	dim 1
	diffused LED	Total power 10W		300lm	3000K	
Nothing downlight 105 R	LED	Total power 12W	30°	735lm	3000K	dim/- 1
	LED	Total power 12W	30°	775lm	4000K	dim/- 1
	LED	Total power 12W	52°	755lm	3000K	dim/- 1
	LED	Total power 12W	52°	795lm	4000K	dim/- 1
Nothing downlight 155 R	HALO	20/35/70W	G53			dim/- 42
	or LED (G53)					
	HIT-TC-CE	20/35/70W	G8,5	1700/3400/6600lm		dim/- 7
	HIT-CE	70/150W	G12	6600/14000lm		dim/- 7
Noto S	FLUO	2x80W	G5		3000K	dim/- 33
Nuboli S	FLUO	6x55W	2G11		3000K	dim 33

Nuda R	LED	Total power 8,5W		180lm	3000K	-	1
Nuda 50 F	LED	Total power 8,5W		180lm	3000K	-	1
Nuda 50 bilateral F	LED	Total power 8,5W		147lm	3000K	-	1
Nuda 100 F	LED	Total power 17W		306lm	3000K	-	1
Nuda 100 bilateral F	LED	Total power 17W		250lm	3000K	-	1
Null Vector α S	LED	1x 6W	E14				- 9
Null Vector β S	LED	1x 6W	E14				- 9
Null Vector T	LED	1x 6W	E14				- 9
Nur C	LED	Total power 45W		2475lm	2700K	dim	1
	HALO	max 1x205W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur S	LED	Total power 45W		2013lm	2700K	dim	1
	HALO	max 1x205W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur 1618 S	LED	Total power 95W		3620lm	3000K	dim	1
	HALO	max 2x400W	R7s				- 4
Nur gloss C	LED	Total power 45W		2457lm	2700K	dim	1
	HALO	max 1x205W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur gloss S	LED	Total power 45W		2145lm	2700K	dim	1
	HALO	max 1x205W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur gloss mini C, S	LED	Total power 30W		1396lm	2700K	dim	1
	HALO	max 1x150W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur mini C	LED	Total power 30W		1396lm	2700K	dim	1
	HALO	max 1x150W	E27				- 6
or FLUO (E27) or LED (E27)							
Nur mini S	LED	Total power 30W		1396lm	2700K	dim	1
	HALO	max 1x160W	R7s		2950K		- 5
Objective F, T	LED	Total power 11W			3000K	dim	1
	spot LED			270lm			
	diffused LED			275lm			
Objective W	LED	Total power 5W		270lm	3000K	-	1
Oblique 0, 45, 70 F	LED*	Total power 15W		850lm	3000K	-	1
Oblique W	LED*	Total power 15W		850lm	3000K	-	1
Olmo linear module 600 S	LED	Total power 17W		1700lm	3000K	dim	1

	LED	Total power 17W		1800lm	4000K	dim	1
Olmo linear module 300 S	LED	Total power 8,5W		850m	3000K	dim	1
	LED	Total power 8,5W		900m	4000K	dim	1
Olmo spot S	LED	Total power 15W		1100lm	3000K	dim	1
	LED	Total power 15W		1180lm	4000K	dim	1
Onfale grande T	HALO	max 1x77W	E27			-	30
	or FLUO (max 1x18W - E27) or LED (E27)						
	+ HALO	max 1x18W	E14				
	or FLUO (max 1x5W - E14) or LED (E14)						
Onfale medio T	HALO	max 1x46W	E27			-	30
	or FLUO (max 1x18W - E27) or LED (E27)						
	+ HALO	max 1x18W	E14				
	or FLUO (max 1x5W - E14) or LED (E14)						
Onfale piccolo T	HALO	max 1x46W	E14			-	30
	or FLUO (max 1x18W - E14) or LED (E14)						
Orbiter W/C	LED	Total power 12W		1263lm	3000K	-	1
PAD 80 C	LED	Total power 9,5W	15°	710lm	3000K	dim/-	1
	LED	Total power 9,5W	15°	810lm	4000K	dim/-	1
	LED	Total power 9,5W	24°	610lm	3000K	dim/-	1
	LED	Total power 9,5W	24°	695lm	4000K	dim/-	1
	LED	Total power 9,5W	36°	645lm	3000K	dim/-	1
	LED	Total power 9,5W	36°	735lm	4000K	dim/-	1
	LED	Total power 9,5W	98°	620lm	3000K	dim/-	1
	LED	Total power 9,5W	98°	704lm	4000K	dim/-	1
Pantalica S	HALO	max 6x46W	E14			-	30
	or FLUO (E14) or LED (E14)						
Pantalica 2 braccia W	HALO	max 2x46W	E14			-	30
	or FLUO (E14) or LED (E14)						
Pantalica 3 braccia W	HALO	max 3x46W	E14			-	30
	or FLUO (E14) or LED (E14)						
Parabola 55 R	LED	Total power 3W	30°	221lm	3000K	dim/-	1
	LED	Total power 3W	30°	232lm	4000K	dim/-	1
	LED	Total power 3W	58°	225lm	3000K	dim/-	1
	LED	Total power 3W	58°	235lm	4000K	dim/-	1
Parabola 80 R	LED	Total power 12W	52°	749lm	2700K	dim/-	1
	LED	Total power 12W	52°	1011lm	3000K	dim/-	1
	LED	Total power 12W	52°	1053lm	4000K	dim/-	1
	LED	Total power 12W	64°	745lm	2700K	dim/-	1

	LED	Total power 12W	64°	1006lm	3000K	dim/-	1
	LED	Total power 12W	64°	1047lm	4000K	dim/-	1
	LED	Total power 12W	76°	773lm	2700K	dim/-	1
	LED	Total power 12W	76°	1043lm	3000K	dim/-	1
	LED	Total power 12W	76°	1086lm	4000K	dim/-	1
Parabola 100 R	LED	Total power 17W	50°	959lm	2700K	dim/-	1
	LED	Total power 17W	50°	1047lm	3000K	dim/-	1
	LED	Total power 17W	50°	1471lm	4000K	dim/-	1
	LED	Total power 17W	64°	942lm	2700K	dim/-	1
	LED	Total power 17W	64°	1382lm	3000K	dim/-	1
	LED	Total power 17W	64°	1445lm	4000K	dim/-	1
	LED	Total power 17W	76°	948lm	2700K	dim/-	1
	LED	Total power 17W	76°	1392lm	3000K	dim/-	1
	LED	Total power 17W	76°	1455lm	4000K	dim/-	1
Patroclo T	HALO	max 1x77W	E27			dim	6
Pausania TW T	LED	Total power 10W		900lm	2700/6500K	dim	1
Pipe F	FLUO	1x42W	GX24q-4		3000K	dim	35
Pipe S, W/C	FLUO	1x32W	GX24q-3		3000K	-	35
Pirce C, S	LED	Total power 44W		3344lm	3000K	dim	1
	HALO	max 1x330W	R7s		2950K	dim	29
Pirce W	HALO	max 1x230W	R7s		2950K	dim	5
Pirce micro S	LED	Total power 29W		2237lm	3000K	dim	1
Pirce micro W	LED	Total power 29 W		2249lm	3000K	dim	1
Pirce mini C, S	LED	Total power 44W		3344lm	3000K	dim	1
	HALO	max 1x330W	R7s		2950K	dim	29
Piroscafo F	LED	Total power 15W		1290lm	3000K	-	1
Prometeo F	LED*	Total power 12W		1263lm	3000K	dim	1
	indirect HALO	max 4x100W	B15d + remote control			dim	37
	diffused FLUO	1x36W	2G11			dim	
Rea 12 W	LED	Total power 13W		800lm	3000K	-	1
Rea 17 W	LED	Total power 26W		2137lm	3000K	-	1
Reall F, W	LED	Total power 45W		2631lm	3000K	dim	1
Reeds F	LED	Total power 9,5W		79lm	3000K	-	1
Reeds triplo F	LED	Total power 28W		237lm	3000K	-	1
Scopas S	LED	Total power 80W		2912lm	3000K	dim	1
Shogun T	HALO	max1x150W	E27			-	6
	or FLUO (E27) or LED (E27)						
Sisifo T	LED	Total power 14W		646lm	3000K	dim	1

Skopos W	LED	Total power 2W		60lm	3000K	dim	1	
Skydro W/C	LED	Total power 29W		2330lm	3000K	dim	1	
	HALO	max 1x160W	R7s		2950K	dim	5	
Solium F	LED	Total power 37W		1750lm	3000K	dim	1	
Space Cloud S	LED	Total power 43W		3158lm	3000K	dim	1	
Stabligh S	LED	max 3x6,8W	Gu10			-	9	
Stabligh A, B, C S	LED	max 1x6,8W	Gu10			-	9	
Tagora 80 C, R, S	LED	Total power 18W	20°	655lm	3000K	-	1	
	LED	Total power 18W	20°	735lm	4000K	-	1	
	LED	Total power 18W	45°	680lm	3000K	-	1	
	LED	Total power 18W	45°	765lm	4000K	-	1	
	LED		Gu10			-	9	
	HALO		GU5,3			-	42	
	or LED (GU5,3)							
	HIPAR	1x20W		GX10			-	7
	HIT	1x23W		GU6,5	1700lm		-	7
Tagora 270 C, R, S	LED	Total power 31W	16°	1400lm	3000K	dim	1	
	LED	Total power 31W	16°	1480lm	4000K	dim	1	
	LED	Total power 31W	32°	1310lm	3000K	dim	1	
	LED	Total power 31W	32°	1386lm	4000K	dim	1	
	FLUO	2x26W		G24q-3	3600lm		dim/-	1
	FLUO	2x17W		GR14q-1	3000lm		dim/-	1
	HIT	1x70W		G12 - 42°	6300lm		-	19
	HIT	1x70W		G12 - 66°	6600lm		-	19
Tagora 570 C, R, S	LED	Total power 46W	102°	2175lm	3000K	dim	1	
	LED	Total power 46W	102°	2316lm	4000K	dim	1	
Tagora 570 S	FLUO	4x36W		2G11	11600lm		dim	9
Tagora 970 C, R, S	LED	Total power 116W	102°	6171lm	3000K	dim	1	
	LED	Total power 116W	102°	6630lm	4000K	dim	1	
	FLUO	4x24W+4x39W		G5	19400lm		dim/-	9
Tagora 970 S	LED	Total power 122W	108°	6930lm	3000K	dim	1	
	LED	Total power 122W	108°	6930lm	4000K	dim	1	
Talak T, F, W	LED	Total power 8W		387lm	3000K	dim	1	
Talo W	LED	Total power 20W		1225lm	3000K	-	1	
	FLUO	1x18W		G24q-2		-	7	
	HALO	max 1x120W	R7s		2950K	dim	29	
Talo 60 W	LED*	Total power 22W		2115lm	3000K	dim/-	1	
Talo 90 W, S	LED	Total power 32W		3216lm	3000K	dim/-	1	

	FLUO	1x39W	G5		3000K	-	23
Talo 120 W, S	LED	Total power 51W		4518lm	3000K	dim/-	1
	FLUO	1x54W	G5		3000K	-	23
Talo 150 W, S	LED	Total power 60W		5837lm	3000K	dim/-	1
	FLUO	1x80W	G5		3000K	-	23
Talo 180 S	FLUO	2x39W	G5		3000K	dim/-	23
Talo 240 S	FLUO	2x54W	G5		3000K	dim/-	23
Tatsuno-Otoshigo S	LED	Total power 28W		1500lm	3000K	dim	1
Telefo 50 W	FLUO	2x11W	G7			-	7
Telefo 70 W	FLUO	1x18W	G13			-	34
Telefo 120 W	FLUO	1x36W	G13			-	34
Teti W/C	HALO	max 1x28W	E27			-	30
	or FLUO (E27) or LED (E27)						
Tetragono F, W	LED	Total power 15W LED COB		437lm	3000K	-	1
Tian Xia 500 S	direct FLUO	1x42W	GX24q-4	3200lm	3000K	dim	26
	diffused LED RGB	Total power 35W (6 strip LED RGB 0,17Wx20)				dim	
	indirect FLUO	2x42W	GX24q-4	6400lm	3000K		
	direct LED*	Total power 30W		2000lm	3000K	dim	1
	diffused LED RGB*	Total power 50W					
	indirect LED WHITE*	Total power 30W		2500lm	3000K		
Tian Xia 500 Met. LED S	direct LED*	Total power 30W		2000lm	3000K	dim	1
	diffused LED RGB*	Total power 50W					
	indirect LED RGB*	Total power 25W					
Tizio T, F	LED	Total power 8W		400lm	3000K	dim	1
	HALO	max 1x50W12V	GY6,35		3000K	2 lev.	31
Tizio 35 T, F	HALO	max 1x35W12V	GY6,35		3000K	2 lev.	31
Tizio micro T	HALO	max 1x20W12V	G4		3000K	-	31
Tolomeo T, F, W	LED	Total power 10W		410lm	3000K	dim	1
	FLUO	1x18W	G24q-2		3000K	-	35
	HALO	max 1x77W	E27			-	29
	or FLUO (E27) or LED (E27)						
Tolomeo 2 bracci perg. S	HALO	max 2x150W	E27			-	6
	or FLUO (max 2x23W - E27) or LED (E27)						
Tolomeo 2 bracci alu. S	HALO	max 2x77W	E27			dim	6
Tolomeo basculante T, F, W	HALO	max 1x100W	E27			-	6
	or FLUO (max 1x20W - E27) or LED (E27)						
Tolomeo braccio W	LED	Total power 10W		410lm	3000K	dim	1
	HALO	max 1x77W	E27			-	6

or FLUO (E27) or LED (E27)


Tolomeo decentrata alu. S	HALO	max 1x77W	E27			dim 6
Tolomeo decentrata p.ø24 S	HALO	max 1x77W	E27			dim 6
Tolomeo decentrata p.ø32 S	HALO	max 1x150W	E27			dim 6
Tolomeo decentrata p.ø36 S	HALO	max 1x150W	E27			dim 6
Tolomeo diffusore 18 p. W	HALO	max 1x46W	E27			- 6
	or FLUO (E27) or LED (E27)					
Tolomeo diffusore 18 s. W	HALO	max 1x100W	E27			- 6
	or FLUO (max 1x16W - E27) or LED (E27)					
Tolomeo diffusore 24 W	HALO	max 1x100W	E27			- 6
	or FLUO (E27) or LED (E27)					
Tolomeo diffusore 32 W	HALO	max 1x150W	E27			- 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Tolomeo faretto W	LED	Total power 10W		410lm	3000K	dim/- 1
	HALO	max 1x77W	E27			- 30
	or FLUO (E27) or LED (E27)					
Tolomeo mega T, F, W	LED	Total power 31 W			3000K	dim 1
				natural diffusor 1855lm		
				grey diffusor 1800lm		
				black diffusor 1545lm		
	HALO	max 1x150W	E27			dim 4
	HALO	max 1x150W	E27			- 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Tolomeo mega S	HALO	max 1x105W	E27			- 6
	or FLUO (max 1x23W - E27) or LED (E27)					
Tolomeo mega outdoor F	LED*	Total power 20W		1250lm	3000K	- 1
Tolomeo micro T, F, W	LED	Total power 8W		350lm	3000K	dim 1
	HALO	max 1x46W	E14			- 30
	or FLUO (E14) or LED (E14)					
Tolomeo micro faretto W	LED	Total power 8W		350lm	3000K	dim/- 1
	HALO	max 1x46W	E14			- 30
	or FLUO (E14) or LED (E14)					
Tolomeo micro pinza W	LED	Total power 8W		350lm	3000K	- 1
	HALO	max 1x46W	E14			- 30
	or FLUO (E14) or LED (E14)					
Tolomeo midi T, W	LED	Total power 9W		350lm	3000K	dim 1
Tolomeo mini T, F, W	LED	Total power 10W		410lm	3000K	dim 1

	HALO	max 1x77W	E27		-	29
	or FLUO (E27) or LED (E27)					
	FLUO	1x18W	G24q-2	3000K	-	35
Tolomeo TW T, F, W	LED	Total power 12W		550lm	3000/10000K	dim 1
Tolomeo pinza W	LED	Total power 10W		410lm	3000K	- 1
	HALO	max 1x77W	E27		-	6
	or FLUO (E27) or LED (E27)					
Tolomeo XXL F	FLUO	2x42W	GX24q-5			- 35
Twist S	FLUO	8x28W	G5	20800lm		dim 9
	FLUO	8x54W	G5	35600lm		dim/- 9
Two Flags F	LED	Total power 21W		1230lm	3000K	dim 1
Two Flags W	LED	Total power 21W		1230lm	3000K	- 1
Una Pro W/C	LED (9)	Total power 10W	9°	856lm	4000K	- 1
	LED (9)	Total power 10W	28°	768lm	4000K	- 1
	LED (9)	Total power 10W	45°	801lm	4000K	- 1
	LED (12)	Total power 13W	9°	1147lm	4000K	- 1
	LED (12)	Total power 13W	28°	1029lm	4000K	- 1
	LED (12)	Total power 13W	45°	1073lm	4000K	- 1
	LED (16)	Total power 20W	9°	1500lm	4000K	- 1
	LED (16)	Total power 20W	28°	1345lm	4000K	- 1
	LED (16)	Total power 20W	45°	1403lm	4000K	- 1
Una Pro 75 C, R	LED (4)	Total power 7W	9°/28°/45°	471/422/440lm	4000K	- 1
	LED (2x4)	Total power 14W	9°/28°/45°	2x471/422/440lm	4000K	- 1
Una Pro 75 R	LED (3x4)	Total power 21W	9°/28°/45°	3x471/422/440lm	4000K	- 1
	LED (4x4)	Total power 28W	9°/28°/45°	4x471/422/440lm	4000K	- 1
Una Pro Track 75 C, S	LED (6x4)	Total power 42W	9°/28°/45°	6x471/422/440lm	4000K	- 1
Unterlinden S	LED	Total power 7,5W		359lm	3000K	- 1
Vigo F, S, W	LED	max 1x6,8W	Gu10	350lm	3000 K	- 9
Wuni S	LED	1x20W	E27			- 36
Yadokari T	LED	1x6W	E14		2700K	- 36
Yang T/F	FLUO	3x42W	GX24q-4 + remote control			dim 28
Zeno Up 2 Frosted R	LED	Total power 2W	CRI =80 min	22lm	3000K	- 1
	LED	Total power 2W	CRI =80 min	24lm	4000K	- 1
Zeno Up 3 Frosted R	LED	Total power 5W	CRI =80 min	138lm	3000K	- 1
	LED	Total power 5W	CRI =80 min	147lm	4000K	- 1
Zeno Up 4 Frosted R	LED	Total power 10W	CRI =80 min	464lm	3000K	- 1
	LED	Total power 10W	CRI =80 min	496lm	4000K	- 1

* Values shown are approximate; please refer to the technical documentation for final data.

Energy Label 1

This luminaire contains built-in LED lamps:



The lamps cannot be changed in the luminaire.

Energy Label 4

This luminaire contains built-in LED lamps:



482

Energy Label 5

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:



Energy Label 6

This luminaire is compatible with bulbs of the energy classes:



Energy Label 7

This luminaire is compatible with bulbs of the energy classes:



Energy Label 9

This luminaire is compatible with bulbs of the energy classes:



Energy Label 12

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:



Energy Label 8

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 13

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:




Energy Label 14

This luminaire is compatible with bulbs of the energy classes:



Energy Label 17

This luminaire contains built-in LED lamps:




The luminaire is sold with a bulb of the energy class:



Energy Label 20

This luminaire is compatible with bulbs of the energy classes:



The lamps cannot be changed in the luminaire.

Energy Label 15

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 18

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:



Energy Label 21

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:



Energy Label 16

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 19

This luminaire is compatible with bulbs of the energy classes:



Energy Label 22

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 23

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 27

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 30

This luminaire contains built-in LED lamps:



Energy Label 24

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 28

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 31

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



484

Energy Label 26

This luminaire is compatible with bulbs of the energy classes:

LED



The luminaire is sold with a bulb of the energy class:



Energy Label 29

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 32

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 33

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 34

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 35

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 36

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



Energy Label 37

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 38

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 40

This luminaire is compatible with bulbs of the energy classes:



The luminaire is sold with a bulb of the energy class:



Energy Label 41

This luminaire is compatible with bulbs of the energy classes:




The luminaire is sold with a bulb of the energy class:



485

Energy Label 54

This luminaire contains built-in LED lamps:



The luminaire is sold with a bulb of the energy class:



How to read the catalogue

Discovery table

Ernesto Gismondi



— enjoy the Augmented Reality



486



lamping colours

dimensions

LED




























































S

D

S: structure / base / arm / support D: diffuser / head

ø210 base x ø130 head x max 1000 x 570 height

Colours

 white	 black	 black brown	 anthracite grey	 titanium grey	 silver grey	 grey				
 blue	 gold	 green	 orange	 red	 red beige	 rust	 violet	 yellow		
 polished white	 polished black	 polished blue	 polished yellow	 polished orange	 polished red	 amber orange	 electric blue	 rubin red	 sapphire blue	
 yellow cedar	 mirror	 copper	 black ceramic	 white ceramic	 marble					
 metal grey	 metal anthracite	 metal gold	 metal bronze	 metal blue	 metal green	 metal orange	 metal red	 metal turquoise	 metal yellow	
 white natural	 natural	 silk satin	 black							
 Opaline	 Transparent	 Transparent with polished silk finish								
 grey incalmo	 white incalmo	 blue zanfirico	 red zanfirico	 white zanfirico	 brown clear	 aquamarine clear	 amber clear			

Headquarters

Artemide S.p.A.

Via Bergamo, 18
20010 Pregnana Milanese (MI),
Italy
Tel. +39 02 93518.1 - 93526.1
Numero verde 800 834 093
(for Italy only)
info@artemide.com
www.artemide.com

Communication and Marketing Department

Via Canova, 34
20145 Milan (MI), Italy
Tel. +39 02.349611
communication@artemide.com
www.artemide.com

Architectural division

Artemide Architectural S.A.S.
Z.I. du Breuil
18400 Saint Florent sur Cher,
France
Tel. +33 02 48 23 99 00

ASIA - OCEANIA

Australia

Head office and Showroom:
Adelaide
Ornare Imports Pty. Ltd.
28 Fullarton Rd, Norwood
SA 5067
Tel. +61 08 8362 3029
info@artemide.com.au
www.artemide.com.au

Office and Showrooms:

Sydney
504-508 Cleveland St
Surry Hills NSW 2010
Tel. +61 02 9699 8472
sydney@artemide.com.au

Melbourne

46-48 Raydowne St
Carlton VIC 3053
Tel. +61 03 9349 3310
melbourne@artemide.com.au

China

Head office:

**Artemide Trading
(Shanghai) Co., Ltd.**
Room 1907, 19/F, New Hualian
Mansion, East Wing, 755
Middle Huai
Hai Road, Huang Pu District,
Shanghai
Tel. +86 21 6448 3650
info@artemide.cn

Affiliated Showrooms:

Beijing

Unit B245, Jinghongshijia
Cofco Plaza, No. 8,
Jianguomennei Street,
Dongcheng District, Beijing
Tel. +86 10 8511 8718
Unit 1-B-20, International
Furniture, Hall, Easy Home,
No. 65 North 4th
Ring Road, Chaoyang District,
Beijing
Tel. +86 10 8463 6098

Hong Kong and Macao

Head Office: Artemide Ltd.

Unit 1303, 13/F, Ruttonjee House
Ruttonjee Centre,
11 Duddell Street
Central, Hong Kong
Tel. +852 2523 0050
info@artemide.com.hk

Showroom:

Shop 102-103, Ruttonjee Centre,
11 Duddell Street,
Central, Hong Kong
Tel. +852 2523 0333

India

Head office: Artemide Lighting India Pvt. Ltd.

Unit no 5, 2nd floor
Raghuvanshi Mansion
Raghuvanshi Mills Compound
Senapati Bapat Marg,
lower parel Maharashtra,
Mumbai 400013
Tel. +91 22 61774800
info@artemide.in

Region: Bangalore

Tel. + 91 9611477533
sabarathnath.cs@artemide.in

Region: Delhi NCR

Showroom:

No. 5, Retreat Farms,
Khullar Farms,
Ashok Lane, Mandi Road,
Mehrauli,
New Delhi – 110030
Tel. +91 9953554435 /
+91 9811163966 /
+91 9810945899
anindya@artemide.in,
ashwani.gupta@artemide.in,
dheeraj.kapoor@artemide.in

Region: Mumbai

Showroom and Registered Office:

Unit No. 5, Raghuvanshi
Mansion, Raghuvanshi Mills
Compound
Senaati Bapat Marg, Lower
Parel, Mumbai
Tel. +91 9769310002 /
+91 22 61774800
vaibhav.m@artemide.in

Region: Pune

Tel. +91 9545557899
nilesh.j@atlantislighting.in

Indonesia

Representative Office: Artemide Ltd.

Tel. +852 2523 0050
info@artemide.com.hk

Japan

Head office:

Artemide Japan K.K.
#2013 1-41-7 Tomigaya
Shibuya-ku, 151-0063 Tokyo
Tel. +81 3 5738 7410
info@artemide.co.jp

Malaysia

Distributor:

Lightcraft (KL) Sdn Bhd
145-5&6, Jalan Sungai Besi,
57100 Kuala Lumpur, Malaysia
Tel. +603 9222 4219
info@lightcraft.com.my

New Zealand

Distributor:

ECC Lighting
39 Nugent Street, Grafton,
Auckland PO Box 391,
Auckland 1140
Tel. +64 9 379 9680
info@ecc.co.nz

Philippines

Representative Office: Artemide Ltd.

Tel. +852 2523 0050
info@artemide.com.hk

Singapore

Distributor:

Million Lighting Co Pte Ltd
203 Kallang Bahru,
Singapore 339340
Tel. +65 6743 2033
enquiry@millionlighting.com
showrooms@millionlighting.com

South Korea

Distributor:

Duomo & Co.
727, Nonhyun-ro,
Gangnam-gu, Seoul, Korea
Tel. +82 2 512 5828
info@duomokorea.com
www.duomokorea.com

Thailand

Representative Office: Artemide Ltd.

Tel. +852 2523 0050
info@artemide.com.hk

Taiwan

Distributor:

Bravocasa Co., Ltd.
3F, No. 8 Chongqing Road
Banqiao Dist., New Taipei City
220, Taiwan (R.O.C.)
Tel. +886 2 2963 0229
sonya@bravocasa.com.tw
www.bravocasa.com.tw

Vietnam

Distributor:

Cao Tran Co., Ltd
23 Tran Phu, P.4-Q.5
Ho Chi Minh City, Vietnam
Tel. +84 8 3833 3334
caotran@cara.com.vn
www.cara.com.vn

AFRICA

Algeria

Representative Office:
Artemide Middle East
info@artemide.ae

Angola

Representative Office:
Foton Iluminação Ltda
Rua da Garagem 3, 2794-021
Carnaxide
Tel. +351 21 416-90-70
geral@foton.pt

Egypt

Representative Office:
Artemide Middle East
info@artemide.ae

Morocco

Distributor:
Arrakis Sarl, Villa N° 4 Rue
Oum Kaltoum 20 000
Casablanca
Tel. +212 (0) 522949947
contact@arrakis-lighting.com

Nigeria

Representative Office:
Artemide Middle East
info@artemide.ae

South Africa

Representative Office:
Artemide Middle East
info@artemide.ae

Tunisia:

Representative Office:
Artemide Middle East
info@artemide.ae

CENTRAL & SOUTH AMERICA

Argentina

Distributor:
Head Office & Showroom:
Edimetra S.A.
Paraguay 792 3° Piso , 1057
Buenos Aires
Tel. +54 11 4312-2590
info@artemide.com.ar

Bolivia

Showroom:
Studio Tessuto
Local 103 - Urubó Business
Center, Santa Cruz - Bolivia
Tel: +591 3 321 6313
info@studiotessuto.com

Brasil

Distributor:
Head Office & Showroom:
Cynthron
Rua do Rócio, 423 - 18º andar,
Vila Olímpia 04552 000 -
SãoPaulo - SP
Tel. +55 11 3846-8100
cynthron@cynthron.com.br

Chile

Showroom:
Interdesign
Isidora Goyenechea 3200
Las Condes, Santiago
Tel. 56-2 22314114
info@interdesign.cl

Dominican Republic

Distributor:
Head Office & Showroom:
Spazio di Casa
Ave. Max Henriquez Ureña
No. 17, Ensanche Naco,
Santo Domingo
Tel. +1 809.368.2001
info@spaziocasa.com

Mexico

Distributor:
Head Office, Showroom &
Customer Service
Scultura Luminosa
Suderman #246, Col.
Chapultepec Morales, Mexico
D.F. 11570
Tel. +52 55 5250 2661
info@artemide.mx

Panama

Showrooms:
Idea Design Center
Av. Samuel Lewis con Calle 59
Kenex plaza, Obarrio,
Panama city, Rep. de Panama
Tel. +507 216.90.67
info@ideapanama.com

Lumicentro

Ave. Justo Arosemena,
Esquina Calle 33
Ave. Ecuador. Edificio
Lumicentro
Apartado 0816-01064
Panama City - Rep. de Panama
Tel. +507 300 2400
info@lumicentro.com

Peru

Showroom:
Hilite
Av. Los Conquistadores 575
San Isidro - Peru'
Tel. +511 422 9123
ventas@hiliteperu.com

Uruguay

Showroom:
TRIOS Lighting
Luis de la Torre 593b
Montevideo - Uruguay
Tel. +598 2711 9260
info@trioslighting.com

Venezuela

Showroom:

Iluminación HELIOS

Av. San Felipe, Centro Coinasa,
Mezzanina
La Castellana, Caracas. 1060 -
Venezuela
Tel. +58-212 265.58.83
informacion@helios.com.ve

For information regarding
distributors and points of sale
for Central & South American
countries not listed above,
please email:
infolatam@artemide.net

EUROPE

Albania

Principal dealer:

A Bi Esse

Superstrada Tirane-Durres km 6
Yrshek, Tirane
Tel. +355 48 200416
info@abiess.e.al

Austria

Head office and Showroom:

Artemide

Handelsgesellschaft mbH

Gonzagagasse 1 / Morzinplatz
1010 Wien
Tel. +43 01 803 21 82
info@artemide.at

Azerbaijan

Principal dealer:

Studio 151

Port Baku Residence
Uzeyir Hacıbeyov str. 151,
1001 Baku
Tel. +994 12 599 2040/41
studio151@office.az

Benelux

(Belgium/Holland/ Luxemburg)

Head office:

Horas S.A.

Beemdstraat 25
1601 Ruisbroek, Belgium
Tel. +32 02 334 84 50
artemide_benelux@artemide.com

Brussels showroom and Lighting Consultancy Center:

Chaussée de Waterloo 410
1050 Brussels - Belgium
Tel. +32 02 534 03 67
artemide.brussels@skynet.be

Amsterdam showroom and Lighting Consultancy Center:

Hobbemakade 89,
1071 XR Amsterdam Holland
Tel. +31 20 4702668
artemide.amsterdam@artemide.nl

Bosnia and Herzegovina

Representative Office:

Artemide S.p.A.

Via Bergamo, 18
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Bulgaria

Representative Office:

Artemide S.p.A.

Via Bergamo, 18
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Czech Republic

Principal dealer:

Selene spol. s.r.o.

Neumannova 161, 383 01
Prachatice
Tel. +420 388 310 326
selene@iol.cz

Showroom:

Komunardu 32
Holesovice 17000 Praha 7

Showroom:

Sazavska 32
Vinohrady 120 000 Praha 2
Romania

Cyprus

Representative Office:

Artemide S.p.A.

Via Bergamo, 18
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Croatia

Representative Office:

Artemide S.p.A.
Via Bergamo, 18
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Estonia

Principal dealer:

Laterna Magica
Kreutzwaldi 8, 10124 Tallin
Tel. +372 6466 994
info@laterna.ee

France

Head Office and Showroom:

Artemide France S.A.S.
52, avenue Daumesnil,
75012 Paris
Tel. +33 01 43 44 44 44
artemide@artemide.fr

Germany

Head office and Showroom:

Artemide GmbH
Hans-Böckler-Straße 2
58730 Fröndenberg
Tel. +49 02373 975.0
info@artemide.de

München Office:

Luise-Ullrich-Straße 20,
80636 München
Tel. +49 089/70065198
muenchen@artemide.de

Frankfurt Showroom:

Baseler Straße 10, 60329
Frankfurt
Tel. +49 069 3399 5690
frankfurt@artemide.de

Greece

Head office:

Artemide Hellas S.A.
34, Solonos St.
106 73 Athens
Tel. +30 210 3646770
info@artemide.gr

North Greece Branch Offices & Showroom

92, G. Papandreou St.
546 65 Thessaloniki
Tel. +30 2310 403934
thessaloniki@artemide.gr

Hungary

Representative Office:

Artemide Austria
Tel. +43 (0) 1 803 21 82-0
info@artemide.at

Ireland

Artemide GB Ltd.

Tel. +44 (0) 20/7631 5200
info@artemide.co.uk

Italy

Head office:

Artemide Italia S.r.l.
Via Bergamo 18
20010 Pregnana Milanese (MI)
Tel. +39 02 93518.1 - 93526.1
Numero Verde 800 834 093
artemideitalia@artemide.com

Milano Monforte

Showroom:

Corso Monforte 19,
20122 Milano
Tel. +39 02 76006930 - 794039
monforte@artemide.com

Milano Manzoni Showroom:

Via Manzoni 12, 20121 Milano
Tel. +39 02 778712201 -
778712202
manzoni@artemide.com

Milano Danese Showroom:

Piazza San Nazaro in Brolo 15,
20122 Milano
Tel. +39 02 58304150
showroomdanese@artemide.com

Roma Margutta Showroom:

Via Margutta 107, 00187 Roma
Tel. +39 06 36001802 -
36001808
margutta@artemide.com

Triviso Showroom:

Via Campana 47 ang.
Piazza San Francesco,
31100 Treviso
Tel. +39 0422 410115
treviso@artemide.com

Milano Lighting Consultancy Center:

Via Manzoni 12, 20121 Milano
Tel. +39 02 778712201 -
778712202
manzonilighting@artemide.com

Roma Lighting Consultancy Center:

Via Pisanelli 1, 00196 Roma
Tel. +39 06 94537550
pisanelli@artemide.com

Kosovo

Principal dealer:

Light House Studio

Veternik nn, 1000 Prishtine
Tel. +386 (0) 43 733 333
info@lighthouse-kos.com

Latvia

Principal dealer:

Trentini Group

Lacplesa iela 101, 1011 Riga
Tel. +371 678 70890
info@artemide.lv

Lithuania

Principal dealer:

Delight LT UAB, Vytenyo 13
03112 Lithuania
Tel. +370 5 2104218
info@delight.lt

Malta

Representative Office:

Artemide Italia s.r.l.
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Montenegro

Principal dealer:

Artefacto + Design Center
Bulevar Svetog Petra
Cetinjskog, Ulica 2
81000 Podgorica
Tel. +382 20 220-597
info@artefactoplus.me

Poland

Head Office:

Artemide Dystrybucja Polska
sp. z o.o.
Ul. Saperow 4, 82-300 Elblag
Tel. +48 55 236 11 85
info@liralighting.pl

Showroom:

Ul. Rydygiera 8, Warsaw

Portugal

Head office and Showroom:

Foton Iluminação Ltda
Rua da Garagem 3
2794-021 Carnaxide
Tel. +351 21 416-90-70
geral@foton.pt

Romania

Principal dealer:

Helios pls
Heliade intre Vii, nr 8, Etaj 2
023383 Bucarest

Russia

Head office:

Artemide Agency OOO
Bolshoj Zlatoustinskij Pereulok, 1
Bldg 1,
office 103, 101000 Moscow
Tel. +7 495 984 2238
info@artemide-agency.ru

Scandinavia

Head office & Showroom:

Artemide Scandinavia A/S
Skudehavnsvej 5
DK-2100 Copenhagen, Denmark
Tel. +45 7020 1700
info@artemide.dk

Serbia

Representative Office:

Artemide S.p.A.
Via Bergamo, 18
Tel. +39 02 93518.1 - 93526.1
info@artemide.com

Slovakia

Principal dealer:

AKL s.r.o.
Vietnamská 45,
82104 Bratislava
Tel. +421 (0) 907 767 008
info@aklsro.sk

Slovenia

Principal dealer:

ARCADIA
Šmartinska 152 / hala E, 1000
Ljubljana
Tel. +386 (0) 1 423 30 25
Tel. +386 (0) 1 423 40 25
info@arcadia-svetila.si

Spain

Head office and Showroom:

Artemide S.A.
C/Vico, 12-18 bajos,
08021 Barcelona
Tel. +34 093 478 3911
artemide@artemide.es

Switzerland

Head office and Showroom:

Artemide Illuminazione S.A.
Bärenegasse 16, 8001 Zürich
Tel. +41 43 268 2727
info@artemide.ch

Turkey

Principal dealer:

Oztas Aydinlatma
Yskender Cad. ,24
34420 Istanbul - Sishane
Tel. +90 212 237 52 36
info@oztasaydinlatma.com

United Kingdom

493

Head office, Showroom and Lighting Consultancy Center:

Artemide GB Ltd.
106 Great Russell Street,
London WC1B 3NB
Tel. +44 (0) 20/7631 5200
info@artemide.co.uk

MIDDLE EAST

Bahrain

Representative Office:
Artemide Middle East
info@artemide.ae

Iran

Representative Office:
Artemide Middle East
info@artemide.ae

Jordan

Representative Office:
Artemide Middle East
info@artemide.ae

Kuwait

Representative Office:
Artemide Middle East
info@artemide.ae

Lebanon

Representative Office:
Artemide Middle East
info@artemide.ae

Oman

Representative Office:
Artemide Middle East
info@artemide.ae

Qatar

Representative Office:
Artemide Middle East
info@artemide.ae

Saudi Arabia

Representative Office:
Artemide Middle East
info@artemide.ae

Syria

Representative Office:
Artemide Middle East
info@artemide.ae

United Arab Emirates

Head office & Showroom:
Artemide Middle-East
Dubai Design District (D3)
Building 6 - 3rd Floor -
Offices A307
Dubai, UAE
info@artemide.ae

NORTH AMERICA

Canada

Head office:
Artemide Ltée/Ltd.
11105, rue Renaude Lapointe
Montréal, Québec H1J 2T4
Tel. +1 514 323 6537
Toll free +1 888 777 2783
infocanada@artemide.net
www.artemide.net

Flagship Store:

Toronto, ON
5 Mill Street
Toronto, Ontario M5A 3R6
Tel. +1 416 628 6718
toronto@artemide.net

Sales office:

Montréal, QC
Tel. +1 514 323 6537
montreal@artemide.net

U.S.A.**Headquarters****Artemide, Inc.**

250 Karin Lane
Hicksville, NY 11801
Tel. +1 631 694 9292
Toll free +1 877 Art 9111
infousa@artemide.net
www.artemide.net

Flagship Stores:**Chicago, IL**

351 W Hubbard Street, #103
Chicago, IL 60654
Tel. +1 312 475 0100
chicago@artemide.net

Los Angeles, CA

9006 Beverly Boulevard
West Hollywood, CA 90048
Tel. +1 310 888 4099
losangeles@artemide.net

Miami, FL

2222 Ponce de Leon Boulevard
Coral Gables, FL 33134
Tel. +1 305 444 5800
miami@artemide.net

New York, NY

46 Greene Street
New York, NY 10013
Tel. +1 212 925 1588
newyork@artemide.net

Sales offices:**Chicago, IL**

Tel. +1 312 475 0100
chicago@artemide.net

Dallas, TX

Tel. +1 214 747 8344
dallas@artemide.net

Los Angeles, CA

Tel. +1 310 888 4099
losangeles@artemide.net

New York, NY

Tel. +1 212 925 1588
newyork@artemide.net

Philadelphia, PA

Tel. +1 215 733 9877
philadelphia@artemide.net

© Artemide S.p.A.

Layout and graphic
Diego Martinelli

Contents and editing
Cristina Costanzi
Diego Martinelli

Images processing
Milica Pavlovic

Prepress
Actualtype s.r.l.

Print
Venetaroto
November 2015

Photos:

Andrea Avezzù
Ballo & Ballo
Chris Broadbent
Jean-Marie Colrat
Thomas Deron + Logo Lano
project
Elliott Erwitz
Mauricio Fuentes
Fabian Aurel Hild

Werner Huthmacher
Hiroshi Iwasaki
Brigitte Lacombe
Linus Lintner
Nuno Madeira
Justin Marimon @ MINIMAL
Jean Pierre Maurer
Josh Meister
Michele Nastasi

Thouas Periklis
Beppe Raso
Alessandro Rizzi
Lioba Schneider
Margherita Spiluttini
Oliviero Toscani
Federico Villa
Miro Zagnoli



Artemide S.p.A. si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A. reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A. se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A. behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A. se reserva la facultad de modificar, en cualquier momento y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.