

A2 Pro, A3 Pro+


Professional Rental HD
LED Display



Professional image
representation

High refresh allows for flawless
shooting by professional camera. High
grayscale delivers full image details
even in low brightness condition.

Professional calibration technology A3C




Excellent Display Performance

No ghost images or banding problems, high refresh rate, low brightness with high grayscale, highlighting excellent display effect.

Smart Module

Module records including ID number, order info, production date, work time, etc. Mobile device monitoring via iOS or Android apps.






Perfect supporting solution

Floor type supporter, rigging bar, trolley, etc. convenient the customer's

Convenient and rapid module maintenance

Front maintenance within 5 seconds, saving time and money



Parameter		A2 pro	A3pro+3
Physical Parameter	Pixel Configuration	1515 black body 3in1 SMD	1515 black body 3in1 SMD
	Pixel Pitch (mm)	2.97	3.47
	Pixel matrix per panel	168×168	144×144
	Pixel density (pixels/sq.m.)	112896	82944
	Module Dimensions (LxW)/ (mm)	250×250	250×250
	Cabinet Dimensions (LxWxH)/ (mm)	500×500×96	500×500×96
	Panel material	Die casting magnesium alloys	Die casting magnesium alloys
	Cabinet weight (kg/panel)	8.5	8.5
Electronic Parameter	Color Grayscale (Bit)	14	14
	Gray Scale per Color (level)	16384	32768
	Refresh Rate (Hz)	3840	3840
	Driving Type	1/14	1/8
	Frame Frequency (Hz)	50/60	50/60
Optical Parameter	Brightness (nit)	1000	1200
	Optimal Horizontal Viewing Angle (°)	160	160
	Optimal Vertical Viewing Angle (°)	140	140
Electrical Parameter	AC Input Voltage (V)	100~240	100~240
	AC Input Frequency (Hz)	50/60	50/60
	AC Input Power Maximum Value (W/m ²)	615	540
	AC Input Power Typical Value (W/m ²)	205	180
Circumstance Parameter	Storage Temperature (°C)	-20~+50	-20~+50
	Operating Temperature (°C)	-10~+40	-10~+40
	Storage Humidity (RH)	10%~90%	10%~90%
	Operating Humidity (RH)	10%~90%	10%~90%
	IP rating (Front/Rear)	IP40/IP21	IP40/IP21
	Lifetime Typical Value (hrs)	100000	100000
Installation type for rental product	Cabinet installation type	rental\fix	rental\fix
	Maximum number of panel for Lifting	20	20

107, rue de Javel
75015 Paris

Contact: Alexandre Verselle
Tél: +33 1 81 69 37 47

@: alexandre@luminescence-led.com
Web: www.luminescence-led.com